

Montana Tech Library

Digital Commons @ Montana Tech

Silver Bow Creek/Butte Area Superfund Site

Montana Superfund

Summer 8-8-2022

Draft Final 2021 Unreclaimed Sites Sampling UR-36 Site Evaluation Summary Report

Pioneer Technical Services, Inc.

Follow this and additional works at: https://digitalcommons.mtech.edu/superfund_silverbowbutte



Part of the [Environmental Health and Protection Commons](#), [Environmental Indicators and Impact Assessment Commons](#), and the [Environmental Monitoring Commons](#)

Atlantic Richfield Company

Mike Mc Anulty

Liability Manager

317 Anaconda Road

Butte MT 59701

Direct (406) 782-9964

Fax (406) 782-9980

August 8, 2022

Nikia Greene
Remedial Project Manager
US EPA – Montana Office
Baucus Federal Building
10 West 15th Street, Suite 3200
Helena, Montana 59626

Erin Agee
Senior Assistant Regional Counsel
US EPA Region 8 Office of Regional Counsel
CERCLA Enforcement Section
1595 Wynkoop Street
Denver, CO 80202
Mail Code: 8ORC-C

Daryl Reed
DEQ Project Officer
P.O. Box 200901
Helena, Montana 59620-0901

Jonathan Morgan, Esq.
DEQ, Legal Counsel
P.O. Box 200901
Helena, Montana 59620-0901

RE: Butte Priority Soils Operable Unit (BPSOU) Draft Final 2021 Unreclaimed Sites Sampling UR-36 Site Evaluation Summary Report

Agency Representatives:

I am writing to you on behalf of Atlantic Richfield Company to submit the Draft Final 2021 Unreclaimed Sites Sampling UR-36 Site Evaluation Summary Report, which summarizes sampling and site evaluation activities. The evaluation summary includes the data summary report (DSR) as Appendix A and the data validation report as an attachment (Attachment A) to the DSR.

The report, appendices, and related files may be downloaded at the following link:

https://pioneertechnicalservices.sharepoint.com/:f:/s/submitted/EtAg83awATtFuhPuyplYC_8B_JtV_SboGR8I4-higalgsBw.

If you have any questions or comments, please call me at (907) 355-3914.

Sincerely,



Mike Mc Anulty
Liability Manager
Remediation Management Services Company
An affiliate of **Atlantic Richfield Company**

Atlantic Richfield Company

317 Anaconda Road
Butte MT 59701
Direct (406) 782-9964
Fax (406) 782-9980

Cc: Patricia Gallery / Atlantic Richfield - email
Chris Greco / Atlantic Richfield – email
Josh Bryson / Atlantic Richfield – email
Loren Burmeister / Atlantic Richfield – email
Dave Griffis / Atlantic Richfield - email
Jean Martin / Atlantic Richfield - email
Irene Montero / Atlantic Richfield - email
David A. Gratson / Environmental Standards / email
Mave Gasaway / DGS - email
Brienne McClafferty / Holland & Hart - email
Joe Vranka / EPA - email
David Shanight / CDM - email
Curt Coover / CDM - email
James Freeman / DOJ - email
John Sither / DOJ - email
Dave Bowers / DEQ - email
Carolina Balliew / DEQ - email
Matthew Dorrington / DEQ – email
Wil George / DEQ – email
Jim Ford / NRDP - email
Pat Cunneen / NRDP - email
Harley Harris / NRDP - email
Katherine Hausrath / NRDP - email
Meranda Flugge / NRDP - email
Ted Duaine / MBMG - email
Gary Icopini / MBMG - email
Becky Summerville / MR - email
Kristen Stevens / UP - email
Robert Bylsma / UP - email
John Gilmour / Kelley Drye - email
Leo Berry / BNSF - email
Robert Lowry / BNSF - email
Brooke Kuhl / BNSF – email
Lauren Knickrehm / BNSF - email
Jeremie Maehr / Kennedy Jenks - email
Annika Silverman / Kennedy Jenks - email
Matthew Mavrinac / RARUS - email
Harrison Roughton / RARUS - email
Brad Gordon / RARUS - email
Mark Neary / BSB - email
Eric Hassler / BSB - email
Julia Crain / BSB - email

Atlantic Richfield Company

317 Anaconda Road
Butte MT 59701
Direct (406) 782-9964
Fax (406) 782-9980

Chad Anderson / BSB - email
Brandon Warner / BSB – email
Abigail Peltomaa / BSB - email
Eileen Joyce / BSB – email
Sean Peterson/BSB – email
Gordon Hart / BSB – email
Jeremy Grotbo / BSB – email
Karen Maloughney / BSB – email
Josh Vincent / WET - email
Craig Deeney / TREC - email
Scott Bradshaw / TREC - email
Brad Archibald / Pioneer - email
Pat Sampson / Pioneer - email
Joe McElroy / Pioneer – email
Andy Dare / Pioneer – email
Karen Helfrich / Pioneer – email
Leesla Jonart / Pioneer - email
Randa Colling / Pioneer – email
Ian Magruder/ CTEC- email
CTEC of Butte – email
Scott Juskiewicz / Montana Tech – email

File: MiningSharePoint@bp.com - email
BPSOU SharePoint - upload

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

*2021 Unreclaimed Sites Sampling UR-36
Site Evaluation Summary Report*

Atlantic Richfield Company

2022

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

***2021 Unreclaimed Sites Sampling UR-36
Site Evaluation Summary Report***

Prepared for:

Atlantic Richfield Company
317 Anaconda Road
Butte, Montana 59701

Prepared by:

Pioneer Technical Services, Inc.
1101 South Montana Street
Butte, Montana 59701

2022

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	II
LIST OF TABLES	II
LIST OF APPENDICES	II
ABBREVIATIONS AND ACRONYMS.....	III
1.0 INTRODUCTION.....	1
1.1 Objectives	1
2.0 SITE DESCRIPTION AND BACKGROUND.....	2
3.0 SITE EVALUATION	3
3.1 Data Summary	3
3.2 Human Health Action Levels.....	3
3.3 Screening Criteria for Storm Water	3
3.4 Sedimentation Analysis	4
4.0 DECLARATION CONCLUSION	5
5.0 REFERENCES.....	7

LIST OF FIGURES

Figure 1. Unreclaimed Sites UR-36 2021 Samples and Exceedances

Figure 2. Unreclaimed Sites UR-36 Storm Water Features

LIST OF TABLES

Table 1. BPSOU Soil Screening Criteria

Table 2. Historical Data Summary

Table 3. New Data Summary

Table 4. Exceedances

LIST OF APPENDICES

Appendix A Data Summary Report (includes Data Validation Report)

Appendix B Site Photographs

ABBREVIATIONS AND ACRONYMS

Acronym	Definition	Acronym	Definition
AFFCO	Anaconda Foundry Fabrication Company	QA	Quality Assurance
BHRS	Butte Hill Revegetation Specifications	QAPP	Quality Assurance Project Plan
BPSOU	Butte Priority Soils Operable Unit	QC	Quality Control
BSB	Butte Silver Bow	ROD	Record of Decision
BTC	Blacktail Creek	SBC	Silver Bow Creek
CD	Consent Decree	SD	Settling Defendants
DSR	Data Summary Report	SOP	Standard Operating Procedures
FRESOW	Further Remedial Elements Scope of Work	UR	Unreclaimed
mg/kg	milligram per kilogram	XRF	X-ray Fluorescence
O&M	Operation and Maintenance		

1.0 INTRODUCTION

This Butte Priority Soils Operable Unit (BPSOU) Unreclaimed (UR) Site Evaluation Summary presents the declarations of the subsurface soil sampling conducted from September 7, 2021, through September 8, 2021, at the UR source area UR-36 within the BPSOU (referred to herein as UR-36 Site or Site).

Unreclaimed solid media Sites located within the BPSOU may have potentially been impacted by historical mining. These Sites must be evaluated to determine if remedial action is required. Site evaluations are completed to determine if a specific site poses a threat to human health, contributes metals-impacted sediments to existing or planned wet weather control features, or contributes to the degradation of surface water quality as described in the BPSOU Consent Decree (CD), Appendix D, Attachment C Further Remedial Elements Scope of Work (FRESOW) (EPA, 2020).

Source areas within the BPSOU may include upland soil waste, mine waste, and floodplain soil and waste. These source areas have the potential to act as direct or indirect pathways for human exposure, contribute metal inputs to the alluvial and bedrock aquifers, and act as metals sources to surface water (to Blacktail Creek [BTC] and Silver Bow Creek [SBC]) via storm water or snowmelt runoff.

Means and methods used to characterize UR sites and make remediation recommendations are described in the 2021 *UR Sites Quality Assurance Project Plan (QAPP)* (Atlantic Richfield Company, 2021) (referred to herein as the QAPP). Results from site sampling/inspection activities will be used to make site declarations and drive remedial action requirements that will be completed by the Settling Defendants (SDs). Contaminated solid media identified within the BPSOU will be addressed through a combination of source removal, capping, and/or land reclamation as appropriate to meet the Butte Hill Revegetation Specifications (BHRS) (EPA, 2020). The specific Remedial Action Work Plans will be prepared by the SDs and approved by Agencies prior to implementation.

1.1 Objectives

This Site Evaluation Summary Report presents all Site data and declarations, as required in the FRESOW (EPA, 2020), from the UR-36 Site investigation. Results from the 2021 investigation are summarized in the Data Summary Report (DSR) in Appendix A, which includes a Data Validation Report. General Site and sample station photographs are included in Appendix B.

This Evaluation Summary Report includes information within each related report as described below:

Site Evaluation Summary:

- A summary of all Site data (historical and new).
- A declaration stating whether the Site contains concentrations at or above human health action levels and/or the Waste Identification Criteria in Table 1 in Appendix 1 of the BPSOU CD (EPA, 2020).

- A declaration stating whether historical mine waste at the Site is contributing to the degradation of surface water quality.
- A declaration stating whether the Site contributes metals-impacted sediment to existing or planned wet weather control features.

DSR (Appendix A):

- Investigation objectives.
- Data quality assessment.
- Project objectives and sampling design review.
- Preliminary data review.
- Conclusions on the quality of the data.
- Sampling and analysis summary.

Data Validation Report (Attachment A of the DSR):

- Quality assurance (QA) and quality control (QC) review of inorganic data.
- Level A/B Assessment.
- Assessment of precision, accuracy, representativeness, comparability, completeness, and sensitivity between X-ray fluorescence (XRF) and laboratory data.
- Overall data summary.

The following sections provide details about the items bulleted above.

The land use at the UR-36 Site is commercial per professional judgment by the field team lead, informed by current county zoning and guidance listed in the 2006 Record of Decision (ROD) requirements (Appendix A of the BPSOU CD; EPA, 2020). Human health action levels and storm water criteria for commercial space were referenced to prepare this declaration. The action levels are listed in Table 1.

2.0 SITE DESCRIPTION AND BACKGROUND

Site UR-36 is approximately 1.8 acres. It is located along the south side of Anaconda Road, just west of the Berkeley Pit and northeast of the uptown Butte business district (Figure 1). Site UR-36 is crescent shaped and wraps around the flat hilltop where the former Parrot mine is located. Butte-Silver Bow (BSB) owns most of Site UR-36, with a private party owning a minor portion. Site UR-36 is vacant land in a light industrial area. There are a few residences located approximately 450 feet to the south.

The south-facing portion of the Site is almost entirely bare and visually appears to consist of historical mine related materials or adjacent building sites. The north-facing portion of the Site has areas with moderate vegetation, but also has very steep, bare areas. There is some exposed bedrock in the northern portion of UR-36. The north side includes limited fencing; it does not restrict access, but it denotes the Anaconda Foundry Fabrication Company (AFFCO) property boundary. Site UR-36 is in the Anaconda Road/Butte Brewery drainage basin and drains into the South Parrot Channel which reports directly to the Berkeley Pit.

3.0 SITE EVALUATION

The Site was evaluated following the Unreclaimed Area Logic Diagram (Appendix A.3 of the QAPP) to determine if reclamation is warranted. The 2021 Site investigation was completed on September 7, 2021, and September 8, 2021. Sampling activities were performed according to specified standard operating procedures (SOPs) as outlined in the QAPP. The DSR in Appendix A includes a description of the 2021 investigation. Composite samples were collected from each location at the specified depth intervals of 0 to 2 inches, 2 to 6 inches, and 6 to 12 inches. Four historical data sets were available from 1987 (CDM, 1988) and 1996 (CDM, 1997). Photographs of the sampling events are included in Appendix B.

3.1 Data Summary

A total of 21 natural soil samples were collected and analyzed by XRF for arsenic, cadmium, copper, lead, zinc, and mercury. Out of the 21 collected soil samples, 15 were submitted to Pace Analytical Services, LLC for laboratory confirmation (per Section 3.2.4, Table 5 of the QAPP), and one sample was submitted for laboratory QA and QC. The DSR in Appendix A details the total XRF samples collected, confirmation laboratory samples submitted, and the QA and QC laboratory samples submitted. Based on the data quality conclusions in the DSR, the data analyzed in the 2021 sampling event were deemed usable. Four historical sample locations were collected in 1987 (CDM, 1988) and 1996 (CDM, 1997) for XRF analyses of arsenic, cadmium, copper, lead, and zinc.

For samples analyzed by both XRF and laboratory, the laboratory results were used for the evaluation of the Site. For samples analyzed only by XRF, the XRF results were used for the evaluation of the Site.

3.2 Human Health Action Levels

Table 1 lists the human health action levels, Table 2 lists the historical data, Table 3 lists the new data, and Table 4 describes the exceedances related to the following findings of the 2021 investigation:

- Four arsenic results from 2 sample stations (UR-36-SS01 and UR-36-SS03) exceeded the commercial human health action level listed in Table 1 (500 milligrams per kilogram [mg/kg]) ranging from 761.30 mg/kg to 842.38 mg/kg.

3.3 Screening Criteria for Storm Water

Table 1 lists the screening criteria for storm water, Table 2 lists the historical data, Table 3 lists the new data, and Table 4 describes the exceedances related to the following findings of the Site investigation:

- Surface sample BPSOU-UR36SS01-090721-1 and subsurface sample BPSOU-UR36SS04-090721-3 exceeded the arsenic, copper, and zinc screening criteria for storm water listed in Table 1.

- Subsurface sample BPSOU-UR36SS06-090821-2 and historical sample FSUA-145 exceeded the copper, lead, and zinc screening criteria for storm water.
- Surface sample BPSOU-UR36SS06-090821-1 exceeded zinc waste criteria (greater than 5,000 mg/kg), reporting a value of 7,490 mg/kg.

Four samples collected in 2021 and one historical sample exceeded 3 of the 6 contaminant screening level criteria listed in Table 1. Additionally, one zinc result collected in 2021 exceeded the waste criteria of greater than 5,000 mg/kg. The Site was further evaluated to determine the materiality of the load and the possible contribution to the degradation of surface water per the requirements of the QAPP (Section 2.4, Step 5, page 8).

3.4 Sedimentation Analysis

Contribution to degradation of surface water quality or metals-impacted sediment is determined by evaluating the presence of rills, concentrated outflow, and metals-impacted sediment in downstream infrastructure; determining sediment contribution loading upgradient of the Site; and linkage to surface water features (Figure 2).

Presence of Rills:

Rills are present throughout the UR-36 Site due to steep slope conditions. Large rills along the southern border of the Site are present and end at a drainage ditch running west to east just south of the Site, reporting to the Berkeley Pit. There are fewer rills on the northern and eastern borders of the Site, where vegetation is more prominent. The perimeter of the Site is reclaimed except for where Anaconda Road parallels the northern portion of the Site. Steep slopes consist of very loose material, and the vegetation on the Site is very poor. Established grasses around the perimeter of the Site help to mitigate the outflow of sediment deposits outside of the Site.

Concentrated Outflow:

Multiple controlled pathways for storm water and sediment transfer through the Anaconda Road/Butte Brewery exist at the UR-36 Site. A secondary drainage ditch (AB-C-1040) runs west to east along the Site's southern border and collects storm water and sediment from runoff that may occur from the southern slope and parts of the western area of the Site. The North Parrot Channel (AB-D-S0006), a Superfund storm water channel, drainage parallels AB-C-1040 approximately 180 feet south of the channel (BSB, 2017). Both storm water channels report to the Berkeley Pit. An unmarked inlet exists on the Site's northwestern edge along Anaconda Road. The unmarked inlet captures storm water and sediment from the northern and northwestern slopes of the Site and drains to the Kelley Channel "B" (AB-D-S0005), another Superfund storm water channel (BSB, 2017). The Kelley Channel "B" feeds to the Kelley Catch Basin at lower Anaconda Road). This Kelley Catch Basin feeds inlet AB-I-0007 then flows downgradient via subsurface piping ultimately to the Belmont Diversion (WA-D-S0001), which is approximately 2,800 feet south of the Site. The Belmont Diversion also reports to the Berkeley Pit.

Evaluate Metals-Impacted Sediment in Downstream Infrastructure:

Metals-impacted sediment exists on the UR-36 Site. The BSB Operation & Maintenance (O&M) inspections¹ have documented sediment accumulation near the Kelley Catch Basin (CB-7); approximately 27 cubic yards (cy) of sediment have been removed from the north channel to the catch basin from 2017 to 2019, and 27 cy of sediment were removed in 2020 from the inlet and outlet. The downstream infrastructure (Belmont Diversion, North Parrot Channel, Kelley Channel, and Kelley Catch Basin) is part of Superfund storm water structures through the Anaconda Road/Butte Brewery drainage, maintained by BSB and Atlantic Richfield Company (Atlantic Richfield) (BSB, 2017). These storm water structures are inspected seasonally and after certain storm water events. Seasonal inspections occur biannually (Spring/Fall), and event-based inspections occur when 0.5 inches of storm water accumulate in 24 hours or less. All downstream infrastructure from the UR-36 Site ultimately leads to the Berkeley Pit.

Evaluate Contributing Sediment Loading Above the Site:

There does not appear to be any sediment loading contributed by Sites upslope of the UR-36 Site. The parcel north of the Site is Atlantic Richfield property. Storm water and sediment are controlled by primary and secondary ditches along with the Kelley Channel “B,” ultimately leading to the Kelley Catch Basin to then be routed to the Berkeley Pit.

Direct Linkage to Surface Water Features:

The UR-36 Site exhibits an incomplete pathway to surface water features, and no direct connection to BTC or SBC was identified. Berkeley surface water discharge is routed through the Anaconda Road/Butte Brewery drainage to the Belmont Diversion and is ultimately discharged to the Berkeley Pit.

4.0 DECLARATION CONCLUSION

From the historical samples (Table 2) and natural soil samples collected (Table 3), one historical sample and four of the analyzed natural soil samples exceeded three of the six contaminant screening level criteria listed in Table 1. One sample exceeded the waste criteria of 5,000 mg/kg for zinc. The Site exceeded four arsenic human health action levels from two sample stations. The sedimentation analysis (Section 3.4) indicates the following:

- Documentation of rills and soil loss from the Site.
- Evidence of metals-impacted sediment within the UR Site boundary.
- Existing downstream Superfund storm water infrastructure at Belmont Diversion, North Parrot Channel, Kelley Channel, and Kelley Catch Basin captures or diverts potentially impacted surface water to the Berkeley Pit.

The Site is not directly connected to SBC since it connects to the Berkeley Pit through the Anaconda Road/Butte Brewery drainage . Evidence of contributing metals-impacted sediment and human health exceedances shows the potential for impacting the downstream infrastructure and potentially increasing maintenance tasks, but does not contribute to the degradation of SBC.

¹ Information was obtained from the Butte Silver Bow O&M Data report geodatabase. The database is maintained internally by Butte-Silver Bow.

Based on the criteria identified in the QAPP and established qualifying data, further actions may be appropriate to determine if remedial action is necessary.

Due to the Site location and configuration, conventional remediation does not currently appear to be practical. Continued implementation of institutional controls may need to be considered as an alternative to remedial action.


5.0 REFERENCES

- Atlantic Richfield Company, 2021. Unreclaimed Sites Quality Assurance Project Plan. Atlantic Richfield Company. June 2021.
- BSB, 2017. Interim Operation and Maintenance Plan for the Butte-Silver Bow Superfund Storm Water System Within the Butte Priority Soils Operable Unit. April 2017.
- CDM, 1997. Final Field Survey of Unreclaimed Areas Summary Report. November 1997.
- CDM, 1988. Butte Soils Screening Study Final Report. April 1988
- EPA, 2020. Consent Decree for the Butte Priority Soils Operable Unit. Partial Remedial Design/Remedial Action and Operation and Maintenance. U.S. Environmental Protection Agency. February 13, 2020. Available at <https://www.co.silverbow.mt.us/2161/ButtePriority-Soils-Operable-Unit-Conse>. Appendix A of the Consent Decree contains the 2006 Record of Decision.

Figures

Figure 1. Unreclaimed Sites UR-36 2021 Samples and Exceedances

Figure 2. Unreclaimed Sites UR-36 Storm Water Features



Site UR-36
 Heavy stormwater erosion on slopes.
 Material is being transported to a stormwater culvert on the north slopes,
 and material is running offsite downslope of the south boundary.

- HUMAN HEALTH EXCEEDANCE
- STORM WATER EXCEEDANCE
- NO EXCEEDANCE
- HISTORIC SAMPLE STATION
- UNRECLAIMED SITE BOUNDARY





FIGURE 1

PIONEER
 TECHNICAL SERVICES, INC.

DATE: 3/24/2022

UR-36
 2021 UR SITES
 SAMPLING AND
 EXCEEDANCES






FIGURE 2

**Unreclaimed Sites
UR-36
Storm Water Features**

DATE: 3/17/2022

Tables

Table 1. BPSOU Soil Screening Criteria

Table 2. Historical Data Summary

Table 3. New Data Summary

Table 4. Exceedances

Table 1. BPSOU Soil Screening Criteria

Analyte	Solid Media	Action/Screening Levels
Lead₁	Non-Residential	2,300 mg/kg
Arsenic₁	Commercial	500 mg/kg
Cadmium²		20 mg/kg
Copper²		1,000 mg/kg
Zinc²		1,000 mg/kg
Lead²		1,000 mg/kg
Arsenic²		200 mg/kg
Mercury²		10 mg/kg

1. From EPA Record of Decision (ROD) BPSOU, Table 12-1 (EPA, 2006a).

2. Waste Identification Criteria in Table 1 in Appendix 1 of the BPSOU Consent Decree (EPA, 2020).

mg/kg: milligrams per kilogram

Table 2: Historical Data Summary

COC (mg/kg)	Sample WD-087	Sample WD-088	Sample FSUA-145	Sample FSUA-146
Arsenic	101.00	342.00	97.00	334.00
Cadmium	12.00	10.00	NA	NA
Copper	3,640.00	1,720.00	1,180.00	1,050.00
Lead	271.00	403.00	1,040.00	744.00
Zinc	1,110.00	771.00	2,610.00	731.00

 Storm Water Waste Criteria Exceedance


 Human Health Action Level Exceedance

Table 3: New Data Summary

Station	FieldSampleID	Result Type	Arsenic (mg/kg)	Cadmium (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Mercury (mg/kg)	Zinc (mg/kg)	1+ >HH std	3+ >SW std	1+ >5000	Exceed SW	Exceed
UR-36-OP-01	BPSOU-UR36OP01-090821-1	Lab	143.00	2.90	850.00	647.00	0.18	1,780.00					
UR-36-OP-01	BPSOU-UR36OP01-090821-2	Lab	189.00	2.90	915.00	867.00	0.21	1,550.00					
UR-36-OP-01	BPSOU-UR36OP01-090821-3	Lab	130.00	2.30	790.00	285.00	0.17	1,020.00					
UR-36-SS-01	BPSOU-UR36SS01-090721-1	Lab	437.00	3.20	1,270.00	686.00	0.17	1,120.00		TRUE		TRUE	TRUE
UR-36-SS-01	BPSOU-UR36SS01-090721-2	Lab	401.00	1.80	843.00	824.00	0.31	637.00					
UR-36-SS-01	BPSOU-UR36SS01-090721-3	XRF	761.30	7.71 U	650.10	596.93	8.18 UJ	560.56	TRUE				TRUE
UR-36-SS-02	BPSOU-UR36SS02-090721-1	Lab	153.00	0.50	719.00	249.00	0.13	345.00					
UR-36-SS-02	BPSOU-UR36SS02-090721-2	XRF	155.18	7.09 U	481.24	401.59	7.19 UJ	599.39					
UR-36-SS-02	BPSOU-UR36SS02-090721-3	XRF	76.10	9.13	517.26	354.75	6.57 UJ	519.22					
UR-36-SS-03	BPSOU-UR36SS03-090721-1	XRF	783.61	8.59 U	1,144.70	481.14	10.03 UJ	381.94	TRUE	TRUE		TRUE	TRUE
UR-36-SS-03	BPSOU-UR36SS03-090721-2	XRF	824.14	8.66 U	901.23	495.36	10.72 UJ	386.33	TRUE				TRUE
UR-36-SS-03	BPSOU-UR36SS03-090721-3	XRF	842.38	8.77 U	981.33	461.53	9.67 UJ	376.79	TRUE				TRUE
UR-36-SS-04	BPSOU-UR36SS04-090721-1	Lab	90.90	2.40	963.00	445.00	0.13 J	1,420.00					
UR-36-SS-04	BPSOU-UR36SS04-090721-2	Lab	89.80	1.90	794.00	463.00	0.12	1,120.00					
UR-36-SS-04	BPSOU-UR36SS04-090721-3	Lab	202.00	4.70	1,090.00	476.00	0.17	1,100.00		TRUE		TRUE	TRUE
UR-36-SS-05	BPSOU-UR36SS05-090821-1	Lab	106.00	2.10	723.00	613.00	0.15	1,140.00					
UR-36-SS-05	BPSOU-UR36SS05-090821-2	Lab	119.00	5.20	978.00	1,020.00	0.45	1,990.00					
UR-36-SS-05	BPSOU-UR36SS05-090821-3	Lab	108.00	7.70	851.00	766.00	0.61	2,970.00					
UR-36-SS-06	BPSOU-UR36SS06-090821-1	Lab	135.00	3.90	3,370.00	960.00	0.06	7,490.00			TRUE	TRUE	TRUE
UR-36-SS-06	BPSOU-UR36SS06-090821-2	Lab	92.40	3.90	2,100.00	1,540.00	0.18	4,750.00		TRUE		TRUE	TRUE
UR-36-SS-06	BPSOU-UR36SS06-090821-3	Lab	68.20	4.10	1,040.00	992.00	0.34	3,480.00					

Storm Water Waste Criteria Exceedance
 Human Health Action Level Exceedance

Table 4: Exceedances

Station	Arsenic (mg/kg)	Cadmium (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Mercury (mg/kg)	Zinc (mg/kg)	1+ >HH std	3+ >SW std	1+ >5000	Exceed
UR-36-SS-01	437.00	3.20	1,270.00	686.00	0.17	1,120.00		TRUE		TRUE
UR-36-SS-01	761.30	7.71 U	650.10	596.93	8.18 UJ	560.56	TRUE			TRUE
UR-36-SS-03	783.61	8.59 U	1,144.70	481.14	10.03 UJ	381.94	TRUE	TRUE		TRUE
UR-36-SS-03	824.14	8.66 U	901.23	495.36	10.72 UJ	386.33	TRUE			TRUE
UR-36-SS-03	842.38	8.77 U	981.33	461.53	9.67 UJ	376.79	TRUE			TRUE
UR-36-SS-04	202.00	4.70	1,090.00	476.00	0.17	1,100.00		TRUE		TRUE
UR-36-SS-06	135.00	3.90	3,370.00	960.00	0.06	7,490.00			TRUE	TRUE
UR-36-SS-06	92.40	3.90	2,100.00	1,540.00	0.18	4,750.00		TRUE		TRUE
FSUA-145	97.00	NA	1,180.00	1,040.00	NA	2,610.00		TRUE		TRUE

Storm Water Waste Criteria Exceedance

Human Health Action Level Exceedance

Appendix A
Data Summary Report
(includes Data Validation Report)

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

*2021 Unreclaimed Sites Sampling
UR-36 Data Summary Report (DSR)*

Atlantic Richfield Company

August 2022

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

***2021 Unreclaimed Sites Sampling
UR-36 Data Summary Report (DSR)***

Prepared for:

Atlantic Richfield Company
317 Anaconda Road
Butte, Montana 59701

Prepared by:

Pioneer Technical Services, Inc.
1101 South Montana Street
Butte, Montana 59701

August 2022

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	II
LIST OF TABLES	III
LIST OF ATTACHMENTS	IV
ABBREVIATIONS AND ACRONYMS.....	V
ABSTRACT.....	VI
STATEMENT OF AUTHENTICITY.....	VII
EXECUTIVE SUMMARY	VIII
1.0 INTRODUCTION.....	1
1.1 Investigation Objectives.....	2
1.2 Investigation Site Description.....	2
1.3 Background.....	3
2.0 DATA QUALITY ASSESSMENT	3
2.1 Project Objectives and Sampling Design Review	3
2.2 Preliminary Data Review	4
2.2.1 Data Quality Indicators	4
2.3 Data Quality Conclusions	4
3.0 SAMPLING AND ANALYSIS SUMMARY	4
3.1 Soil Sample Collection	5
3.1.1 Sample Analysis.....	5
4.0 DEVIATIONS	6
5.0 REFERENCES.....	7

LIST OF FIGURES

Figure 1. Unreclaimed Sites UR-36 Sample Stations

LIST OF TABLES

Table 1. Coordinates for Sample Stations and Identification

LIST OF ATTACHMENTS

Attachment A Data Validation Report (DVR)

Attachment B Field Forms and Related Documents

Attachment C Laboratory Data Packages

Attachment D Electronic Data Deliverable File

ABBREVIATIONS AND ACRONYMS

ACRONYM	DEFINITION	ACRONYM	DEFINITION
Atlantic Richfield	Atlantic Richfield Company	NFG	National Functional Guidelines
BPSOU	Butte Priority Soils Operable Unit	NPL	National Priorities List
CD	Consent Decree	Pace	Pace Analytical Services
CFRSSI	Clark Fork River Superfund Site Investigation	Pioneer	Pioneer Technical Services, Inc.
DI	Deionized	QA	Quality Assurance
DM/DV	Data Management/Data Validation	QAPP	Quality Assurance Project Plan
DQA	Data Quality Assessment	QC	Quality Control
DSR	Data Summary Report	SOP	Standard Operation Procedures
DVR	Data Validation Report	UR	Unreclaimed
EPA	Environmental Protection Agency	XRF	X-ray Fluorescence
FSP	Field Sampling Plan		

ABSTRACT

This Butte Priority Soils Operable Unit (BPSOU) Unreclaimed (UR) Sites Data Summary Report (DSR) presents results of the subsurface soil sampling conducted from September 7, 2021, through September 8, 2021, at the UR source area UR-36 within the BPSOU.

For the event, 7 sample stations were sampled by collecting 3-point composite samples at 3 depth intervals. Each sample was analyzed in the field for pH and by X-ray fluorescence (XRF) for arsenic, cadmium, copper, lead, mercury, and zinc; 15 of the 21 collected soil samples were analyzed by the laboratory for arsenic, cadmium, copper, lead, mercury, zinc, and percent moisture. One field duplicate was submitted to the laboratory for the sampling event.

This DSR was prepared by Pioneer Technical Services, Inc. (Pioneer), 1101 S. Montana Street, Butte, Montana, 59701 for:

Atlantic Richfield Company
317 Anaconda Road
Butte, Montana 59701

The information presented in this DSR includes laboratory analytical results from the sampling events.

STATEMENT OF AUTHENTICITY

Consistent with the provisions described in the 2020 U.S. Environmental Protection Agency (EPA) BPSOU Consent Decree (CD) (EPA, 2020a), the data sets referenced in this document are considered to be final data generated or evaluated. Data have been designated as enforcement quality and screening quality as described in the *Clark Fork River Superfund Site Investigations (CFRSSI) Quality Assurance Project Plan (QAPP)* (ARCO, 1992a) and *CFRSSI Data Management/Data Validation (DM/DV) Plan* (ARCO, 1992b) as supplemented by the *CFRSSI DM/DV Plan Addendum* (AERL, 2000a). Consistent with the aforementioned orders, the signatories below hereby stipulate the authenticity and accuracy of the data and hereby waive any evidentiary or other objection as to the authenticity and accuracy of reference in endangerment assessments, public health evaluations, feasibility studies, and remedial design/remedial action documents.

Approved by: _____
Mike Mc Anulty
Liability Manager
Atlantic Richfield Company
Date _____

Approved by: _____
Nikia Greene
Remedial Project Manager
U.S. Environmental Protection Agency
Region VIII
Date _____

Approved by: _____
Daryl Reed
State Project Officer
Montana Department of Environmental Quality
Date _____

Approved by: _____
Scott Sampson
Project Manager
Pioneer Technical Services, Inc.
Date _____

EXECUTIVE SUMMARY

This BPSOU UR Sites DSR presents the results of the subsurface soil sampling conducted from September 7, 2021, through September 8, 2021, at the UR source area UR-36 within the BPSOU.

Sampling was conducted under the guidelines of the *BPSOU UR Sites Final Field Sampling Plan (FSP) #3: UR-06, UR-07, UR-20, UR-22, UR-35, and UR-36* (Atlantic Richfield Company, 2021a) (referred to herein as FSP) and the 2021 *Final UR Sites QAPP* (Atlantic Richfield Company, 2021b) (referred to herein as QAPP). Information and data from the sampling efforts will be used to characterize the potential contamination at the Site and evaluate potential human health and ecological risks.

This DSR includes all field XRF and soil pH data, laboratory analytical data, and data validation packages. This DSR does not include any analysis or interpretation of the data by Atlantic Richfield Company (Atlantic Richfield).

Paste pH and natural soil samples were collected from 7 sample stations (Figure 1). Each sample station was determined based on preliminary Site investigations and Agency approval.

In total, 7 sample stations were sampled by collecting 3-point composite samples at 3 depth intervals. Each sample was analyzed in the field for pH and by XRF for arsenic, cadmium, copper, lead, mercury, and zinc; 21 of the 15 collected soil samples were analyzed by the laboratory for arsenic, cadmium, copper, lead, mercury, zinc, and percent moisture. One field duplicate was submitted to the laboratory for the sampling event. Pioneer submitted soil samples to Pace Analytical Services, LLC (Pace) in Minneapolis, Minnesota.

Analytical results were reported in a standard data package.

A data validation system was implemented consistent with the procedures described in the CFRSSI DM/DV Plan (ARCO, 1992b) and subsequent addendum (AERL, 2000a). The format for this DSR is consistent with the format established in the *CFRSSI Pilot Data Report Addendum* (AERL, 2000b).

1.0 INTRODUCTION

This report presents the results of soil sampling and analysis for the UR Sites investigation conducted from September 7, 2021, through September 8, 2021, at the UR source area UR-36 within the Silver Bow Creek/Butte Area National Priorities List (NPL) Site BPSOU area. Activities were consistent with the provisions described in Appendix D of the BPSOU CD (EPA, 2020a). Historical results from previous investigations are summarized in the FSP. The information contained in this report was gathered according to objectives and procedures documented in the FSP and according to the overall soil sampling, analysis objectives, and requirements outlined in the QAPP.

Information referenced throughout this DSR is included in the appendices below:

- Attachment A Data Validation Report (DVR)
- Attachment B Field Forms and Related Documents
- Attachment C Laboratory Data Packages
- Attachment D Electronic Data Deliverable File (included separately)

This investigation's field notebook and datasheets are located at the Atlantic Richfield Contractor (Pioneer) office in Butte, Montana.

All characterization activities and procedures in 2021 followed the QAPP. Sample stations were determined based on preliminary Site investigations and Agency approval. The QAPP describes the quality assurance (QA) and quality control (QC) policies and procedures used during sample collection and analysis. Samples were obtained from the sample stations listed below following the FSP. The coordinates for the samples stations and sample identification are included in Table 1.

Station Field Identification	Sample Identification
UR-36-SS-01	BPSOU-UR36SS01-090721-X
UR-36-SS-02	BPSOU-UR36SS02-090721-X
UR-36-SS-03	BPSOU-UR36SS03-090721-X
UR-36-SS-04	BPSOU-UR36SS04-090721-X
UR-36-SS-05	BPSOU-UR36SS05-090821-X
UR-36-SS-06	BPSOU-UR36SS06-090821-X
UR-36-OP-01	BPSOU-UR36OP01-090821-X

*X indicates sample depth interval.

Samples were collected and then analyzed by XRF. A subset of the samples was sent to Pace in Minneapolis, Minnesota, for laboratory analyses as listed in Section 3.1.4, Table 5 of the QAPP. The data verification and validation for the XRF and laboratory results are included in Attachment A. All data included in this report are provided as final.

Personnel from Pioneer completed the soil sampling activities. The collected soil data had to undergo rigorous sampling and analysis procedures and meet QA/QC protocols and documentation

requirements to be designated as enforcement quality. All data underwent a Stage 2A verification and validation according to *EPA National Functional Guidelines (NFG) for Inorganic Superfund Data Review* (EPA, 2020b) and *EPA Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (EPA, 2009). All data presented herein have undergone data validation according to the CFRSSI DM/DV Plan Addendum (AERL, 2000a). Section 3.0 and Attachment A provide information about data quality and validation.

This DSR contains the following information:

- Investigation objectives (Section 1.1).
- Site description and background (Sections 1.2 and 1.3).
- Data quality assessment (Section 2.0).
- Project objectives and sampling design review (Section 2.1).
- Preliminary data review (Section 2.2).
- Conclusions on the quality of the data (Section 2.3).
- Sampling and analysis summary (Section 3.0).
- Deviations (Section 4.0)

Pioneer developed the Standard Operating Procedures (SOPs) that were followed according to the *CFRSSI SOPs* (ARCO, 1992c); the SOPs are included in the QAPP. The SOPs were followed for sampling, data collection, and field/office protocols.

1.1 Investigation Objectives

The QAPP listed the following two objectives:

- The Site will be sampled at three depth intervals: (1) 0 to 2 inches, (2) 2 to 6 inches, and (3) 6 to 12 inches at the Site-specific approved sample stations.
- Opportunistic samples may be obtained in the field at the discretion of field sampling personnel or Agency oversight representative(s). The field team leader will be responsible for determining the appropriate sampling protocol as dictated by the location of the opportunistic sample(s).

The results of the investigation will supplement existing data contained within the Atlantic Richfield Geocortex historical database cited in the FSP. This data will be used to make a Site declaration specifying any areas that do not meet the human health or storm water criteria per Table 1 and Table 2 in the QAPP.

1.2 Investigation Site Description

The UR Sites within the BPSOU could pose a threat to human health or surface water quality due to the presence of historical mine waste. Although many source areas have been previously reclaimed, areas still exist in which soil has not yet been evaluated; such sites may provide a pathway for human exposure or impact surface water quality via storm water runoff. The UR-36 Site was assessed per the QAPP.

This DSR describes the activities conducted for soil sampling and characterization at the UR-36 Site. Supplemental information provided in the FSP described the 2021 investigation. Sample stations were determined based on preliminary Site investigations and Agency approval to quantify the potential for human health impacts and/or storm water impacts at depth intervals of 6 to 12 inches, 2 to 6 inches, and 0 to 2 inches.

The following figure summarizes the 2021 sampling effort:

- Figure 1 displays proposed and sampled stations for the 2021 sampling event.

1.3 Background

Site UR-36 is approximately 1.8 acres. It is located along the south side of Anaconda Road, just west of the Berkeley Pit and northeast of the uptown Butte business district (Figure 1). Site UR-36 is crescent shaped and wraps around the flat hilltop where the former Parrot mine was located. Butte-Silver Bow (BSB) owns most of Site UR-36, and a minor portion is privately owned. Site UR-36 is vacant land in a light industrial area. There are a few residences located approximately 450 feet to the south.

The south-facing portion of the Site is almost entirely bare and visually appears to consist of historical mine related materials. The north-facing portion of the Site has areas with moderate vegetation but also has very steep bare areas. There is some exposed bedrock in the northern portion of UR-36. The north side includes limited fencing; it does not restrict access, but it denotes the Anaconda Foundry Fabrication Company (AFFCO) property boundary. Site UR-36 is in the Anaconda Road/Butte Brewery drainage basin and drains into the South Parrot Channel which reports directly to the Berkeley Pit.

2.0 DATA QUALITY OBJECTIVES AND ASSESSMENT

The objective of the Data Quality Assessment (DQA) process (EPA, 2000) is to determine whether the project-specific objectives have been satisfied and if the analytical results are acceptable for project decision making. The DQA process consists of five steps that relate the quality of the results to the intended use of the data:

- Step 1: Review sampling design (Section 2.1).
- Step 2: Conduct preliminary data review (Section 2.2).
- Step 3: Select statistical test(s) as appropriate to evaluate data quality (not applicable).
- Step 4: Verify assumptions (not applicable).
- Step 5: Draw conclusions about the quality of the data (Section 2.3).

2.1 Project Objectives and Sampling Design Review

Project-specific objectives were defined in the FSP to cover the sampling design requirements outlined in the QAPP.

2.2 Preliminary Data Review

A preliminary data review was conducted to determine if any problems or anomalies were present in the sample collection and analysis procedures. This was completed by evaluating data quality indicators (Section 2.2.1) followed by data verification and validation (Attachment A).

2.2.1 Data Quality Indicators

The DQA process evaluates the results against data quality indicators of precision, accuracy, representativeness, comparability, completeness, and sensitivity. An evaluation of each data quality indicator is included in the DVR (Attachment A).

2.3 Data Quality Conclusions

The laboratory samples were collected using standard sampling methods and relevant Pioneer SOPs. The sampling design, SOPs, and laboratory analytical methods were based on EPA and other industry-standard practices. Laboratory analytical methods are provided in Table 5 of the QAPP. Sample collection was completed by professionals properly trained in following SOPs and using the equipment. Proper chain of custody and sample handling activities were observed during sample collection, delivery to the laboratory, and analysis. The analytical laboratories performed the sample analyses using industry-standard methods. The validation checklists are included in the DVR (Attachment A); all data met the Level A and Level B criteria.

Data generated from the samples were examined to ensure that project objectives were met. The data quality objectives for the investigation are listed in the QAPP, Section 2.4. A data QA/QC review was completed for the sampling event.

For the 2021 Site sampling event, a total of 21 natural soil samples were collected. All samples were analyzed by XRF, and 15 samples were sent to Pace for laboratory analysis. This resulted in a total of 126 natural data points generated by the XRF analyses and 105 natural data points generated by the laboratory analysis. Of the data points, 22 (17%) XRF natural data points were designated screening quality, and 104 (83%) XRF natural data points were designated as enforcement quality. For the laboratory natural data points, 1 (1%) were designated screening quality, and 104 (99%) laboratory natural data points were designated as enforcement quality. No data were rejected. The DVR (Attachment A) includes a summary of the analysis. Please note that 21 of the 22 (95%) screening quality XRF data points were qualifications made to the mercury results due to the lack of a calibration check sample (Section 2.2.3 of the DVR). Based on the data quality conclusions in the DSR, the data analyzed in the 2021 sampling event were deemed usable.

3.0 SAMPLING AND ANALYSIS SUMMARY

This section summarizes completed tasks that addressed the monitoring objectives described in the QAPP, including sampling methods, field analysis methods, and analytical results for the UR soil sampling.

3.1 Soil Sample Collection

Samples were collected following procedures detailed in the QAPPs referenced in Section 1.0, except where modifications of the sampling design or procedures were required. Any modifications are listed in Section 4.0. Sample station locations were selected in cooperation and agreement with Agency oversight personnel.

The general sampling approach consisted of hand-dug pits. The UR Site sampling proceeded as follows.

Sample stations were determined based on preliminary Site investigations and the Agency-approved FSP. Field personnel and representatives from the Agencies (when present) made decisions regarding collection of additional “opportunistic” samples to characterize the Site conditions and characteristics accurately. A minimum of 3 combination samples (9 subsamples) were collected in a 3-point (triangular) pattern. At each point, a subsample of predetermined depth was collected. As a rule, the diagonal distance between the points was 10 feet, depending on the area of soil homogeneity. The diagonal distance could be adjusted in the field to account for soil differences and the presence of obstacles. Three discrete aliquots of equal amounts of soil from each designated subsample location were composited into 1 sample. Materials such as plant matter, debris, and large rocks were removed, to a reasonable extent, prior to placing the sample in the sample container for laboratory analysis. A portion of the natural sample was placed into a #10 (2 millimeter) disposable sieve screen prior to running the XRF analysis, and a portion was used for pH analysis. After XRF analysis was complete, the sample was archived in the Pioneer office in Butte, Montana. Samples were collected from the 0- to 12-inch depth at 0- to 2-inch, 2- to 6-inch, and 6- to 12-inch intervals.

3.1.1 Sample Analysis

3.1.1.1 pH

The general UR Site pH analysis proceeded as follows per SOP-SFM-01 in Attachment B of the QAPP:

Composite paste pH samples were collected using disposable trowel scoops, plastic cups, and deionized (DI) water. Approximately 1 inch of fine material was scooped from the sieved material into the bottom of the cup. The DI water was added to the sample, and the cup was swirled until a paste was made. Soil pH results are included in Attachment B. The Hanna Instruments HI 99121 meter was used to measure the paste pH sample. The meter was decontaminated with DI water after each use. The collected soil was returned to the area where the sample was collected, and the tools were discarded.

3.1.1.2 XRF

The general XRF analysis proceeded as follows per SOP-SFM-02 in Attachment B of the QAPP:

Field personnel thoroughly homogenized the natural sample in the bag by kneading the soil, split approximately 1 disposable trowel scoop from the natural sample, and placed the split sample into a disposable #10 sieve inside a gallon resealable plastic bag (i.e., Ziploc®). The sieved sample was transferred into an additional 1-quart resealable plastic bag so that it fit in the analyzer measurement stand. The material was compacted so that there was a flat surface on the area to be analyzed and visually inspected to ensure that only fines were present. The sample bag was placed on the XRF stand and analyzed. The results were recorded for the selected metals on the XRF field datasheet. Field personnel completed duplicate and replicate XRF analyses on at least 5% of the samples analyzed in the XRF unit.

Soil samples for arsenic, cadmium, copper, mercury, lead, zinc, percent moisture, and associated QA/QC samples were packaged and shipped to Pace for analysis. Field forms are in Attachment B, analytical reports are in Attachment C, data deliverable files are in Attachment D, and soil results (including QA/QC samples), applicable laboratory flags, data validation qualifiers, and reason codes are included in the tables in the DVR in Attachment A.

3.1.1.3 Laboratory Samples

The general laboratory sampling proceeded as follows per SOP-S-01 and SOP-SA-01 in Attachment B of the QAPP:

Composite soil samples were collected in a labeled plastic bag and homogenized after each subsample was collected. After the sample was collected from the 3-point composite, a portion of the sample was removed and placed in a disposable #10 sieve within a separate resealable plastic bag (XRF analysis described in Section 3.1.1.2 above). Field personnel then sent every 1 per 10 samples, with additional samples sent to the laboratory for confirmation if the field results were within the contaminant of concern action/screening levels (Table 1 and Table 2 within the QAPP) at 35% above and 35% below for any one of Table 1 or for three or more Table 2 action/screening levels. Lab samples were analyzed for arsenic, cadmium, copper, lead, mercury, zinc, and percent moisture.

4.0 DEVIATIONS

During the sampling event, there were no deviations to the QAPP or FSP:




5.0 REFERENCES


- AERL, 2000a. Clark Fork River Superfund Site Investigations Data Management/Data Validation Plan Addendum. June 2000.
- AERL, 2000b. Clark Fork River Superfund Site Pilot Data Report Addendum. July 2000.
- ARCO, 1992a. Clark Fork River Superfund Site Investigations Quality Assurance Project Plan. May 1992. Prepared by PTI Environmental Services.
- ARCO, 1992b. Clark Fork River Superfund Site Investigations Data Management/Data Validation Plan. May 1992. PTI Environmental Services, Contract C 117-06-64, April 1992.
- ARCO, 1992c. Clark Fork River Superfund Site Investigations Standard Operating Procedures. September 1992.
- Atlantic Richfield Company, 2021a. BPSOU Unreclaimed Sites Final Field Sampling Plan #3: UR-06, UR-07, UR-20, UR-22, UR-35, and UR-36. August 2021.
- Atlantic Richfield Company, 2021b. Final Unreclaimed Sites Quality Assurance Project Plan. June 2021.
- EPA, 2000. Guidance for Data Quality Assessment: Practical Methods for Data Analysis. EPA QA/G-9. U.S. Environmental Protection Agency. July 2000.
- EPA, 2009. Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use. U.S. Environmental Protection Agency. January 2009.
- EPA, 2020a. Consent Decree for the Butte Priority Soils Operable Unit. Partial Remedial Design/Remedial Action and Operation and Maintenance. U.S. Environmental Protection Agency. February 13, 2020. (Appendix A of the CD contains the EPA 2006 Record of Decision, 2011 Explanation of Significant Differences to the 2006 Record of Decision, and the 2020 Record of Decision Amendment). Available at <https://www.co.silverbow.mt.us/2161/ButtePriority-Soils-Operable-Unit-Conse>.
- EPA, 2020b. U.S. Environmental Protection Agency National Functional Guidelines for Inorganic Superfund Data Review. January 2017.

Figures

Figure 1. Unreclaimed Sites UR-36 Sample Stations



-  2021 SAMPLED STATIONS
-  PROPOSED SAMPLE STATIONS
-  HISTORIC SAMPLE STATION
-  UNRECLAIMED SITES BOUNDARY



DISPLAYED AS: _____
 PROJECTION/ZONE: MSP
 DATUM: NAD 83
 UNITS: INT'L FT
 SOURCE: PIONEER/BSB/AR/QSI 2020





FIGURE 1

Unreclaimed Sites
UR-36
2021 Sample Stations
 DATE: 3/14/2022

Tables

Table 1. Coordinates for Sample Stations and Identification

Table 1. Coordinates for Sample Stations and Identification			
Station Field Identification	Sample Identification	Northing	Easting
UR-36-SS-01	BPSOU-UR36SS01-090721-X	658761.215	1199728.857
UR-36-SS-02	BPSOU-UR36SS02-090721-X	658763.385	1199546.566
UR-36-SS-03	BPSOU-UR36SS03-090721-X	658767.291	1199387.712
UR-36-SS-04	BPSOU-UR36SS04-090721-X	658814.383	1199135.108
UR-36-SS-05	BPSOU-UR36SS05-090821-X	659161.249	1198951.688
UR-36-SS-06	BPSOU-UR36SS06-090821-X	659210.259	1199071.568
UR-36-OP-01	BPSOU-UR36OP01-090821-X	659242.703	1199260.36

Attachment A
Data Validation Report (DVR)

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

*2021 Unreclaimed Sites Sampling UR-36
Data Validation Report*

Atlantic Richfield Company

August 2022

**SILVER BOW CREEK/BUTTE AREA NPL SITE
BUTTE PRIORITY SOILS OPERABLE UNIT**

Draft Final

***2021 Unreclaimed Sites Sampling UR-36
Data Validation Report***

Prepared for:

Atlantic Richfield Company
317 Anaconda Road
Butte, Montana 59701

Prepared by:

Pioneer Technical Services, Inc.
1101 South Montana Street
Butte, Montana 59701

August 2022

TABLE OF CONTENTS

	<u>Page</u>
1.0 DATA VALIDATION REPORT SUMMARY	1
2.0 QUALITY ASSURANCE/QUALITY CONTROL REVIEW OF INORGANIC DATA	3
2.1 Field Quality Control Samples.....	4
2.1.1 Field Duplicate.....	4
2.1.2 Equipment Rinsate Blank	5
2.2 XRF Quality Control Samples.....	5
2.2.1 Energy Calibration Check.....	5
2.2.2 Silicon Dioxide Standard	5
2.2.3 Calibration Check Samples.....	5
2.2.4 XRF Duplicate and XRF Replicate Samples	6
2.3 Laboratory Quality Control Samples.....	6
3.0 LEVEL A/B ASSESSMENT SUMMARY	7
4.0 PRECISION, ACCURACY, REPRESENTATIVENESS, COMPARABILITY, COMPLETENESS, AND SENSITIVITY DATA SUMMARY	7
4.1 Precision.....	7
4.1.1 XRF Precision.....	7
4.1.2 Laboratory Precision.....	8
4.2 Accuracy	8
4.2.1 XRF Accuracy	9
4.2.2 Laboratory Accuracy	9
4.3 Representativeness.....	10
4.4 Comparability	10
4.4.1 XRF Comparability.....	10
4.4.2 Laboratory Comparability.....	10
4.5 Completeness	11
4.5.1 XRF Completeness	11
4.5.2 Laboratory Completeness	11
4.6 Sensitivity	12
4.6.1 XRF Sensitivity.....	12
4.6.2 Laboratory Sensitivity.....	13
4.7 Overall Data Summary	13
5.0 REFERENCES.....	14

LIST OF TABLES

- Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes
- Table A2. Field Duplicate Pair Samples with Results, Laboratory Qualifiers, Data Validation Qualifiers, Data Validation Reason Codes, and QC Criteria Assessment
- Table A3. Sample Identification
- Table A4. Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Codes; and Reason Codes Definitions
- Table A5. XRF SiO₂ Standard and Calibration Check Sample Results
- Table A6. XRF Duplicate and Replicate Sample Results and QC Criteria Assessment

LIST OF ATTACHMENTS

- Attachment 1 Data Validation Checklists
- Attachment 1.1 Data Validation Checklists for XRF Analyses
 - Attachment 1.2 Data Validation Checklists for Laboratory Analyses
- Attachment 2 Level A/B Assessment Checklist
- Attachment 3 Data Validation Quality Control Criteria

ACRONYMS AND ABBREVIATIONS

Acronym	Definition
%R	Percent Recovery
BPSOU	Butte Priority Soils Operable Unit
CCS	Calibration Check Sample
CFRSSI	Clark Fork River Superfund Site Investigation
COC	Contaminants Of Concern
DM/DV	Data Management/Data Validation
DV	Data Validation
DVR	Data Validation Report
EPA	U.S. Environmental Protection Agency
FSP	Field Sampling Plan
GFAA	Graphite Furnace Atomic Absorption Spectrometry
ICP	Inductively Coupled Plasma
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LDS	Laboratory Duplicate Sample
LMS	Laboratory Matrix Spike
LMSD	Laboratory Matrix Spike Duplicate
LOD	Limit of Detection
MB	Method Blank
MDL	Method Detection Limit
mg/kg	milligram per kilogram
NFG	National Functional Guidelines
Pace	Pace Analytical Services, LLC
Pioneer	Pioneer Technical Services, Inc.
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control
RCRA	Resource Conservation and Recovery Act
RL	Reporting Limit
RPD	Relative Percent Difference
SDG	Sample Delivery Group
SiO ₂	Silicon Dioxide
SOP	Standard Operating Procedure
SRM	Standard Reference Materials
UR	Unreclaimed
XRF	X-Ray Fluorescence

DOCUMENT MODIFICATION SUMMARY

Revision No.	Author	Version	Description	Date
Rev 0	Sara Ward	Draft	Issued for Internal Review	3/16/2022
Rev 1	Sara Ward	Draft Final	Issued for Agency Review	8/8/2022

1.0 DATA VALIDATION REPORT SUMMARY

This Data Validation Report (DVR) summarizes the X-ray fluorescence (XRF) and laboratory analytical results from samples collected from the Unreclaimed (UR) UR-36 Site (referred to as Site). The samples were collected per the *Butte Priority Soils Operable Unit (BPSOU) Unreclaimed Sites Final Field Sampling Plan (FSP) #3: UR-06, UR-07, UR-20, UR-22, UR-35, and UR-36* (Atlantic Richfield Company, 2021a) (referred to herein as the FSP). The 2021 UR-36 sampling event included samples collected under the 2021 *Unreclaimed Sites Quality Assurance Project Plan (QAPP)* (Atlantic Richfield Company, 2021b) (referred to herein as the QAPP).

All data have undergone a Stage 2A data validation as defined in the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (EPA, 2009). Data validation was conducted in accordance with the QAPP, the *Clark Fork River Superfund Site Investigation (CFRSSI) Data Management/Data Validation (DM/DV) Plan* (ARCO, 1992a) and *CFRSSI DM/DV Plan Addendum* (AERL, 2000), the *CFRSSI QAPP* (ARCO, 1992b), *EPA National Functional Guidelines (NFG) for Inorganic Superfund Data Review* (EPA, 2020), analytical methods, and laboratory standard operating procedures (SOPs). The 2020 EPA National Functional Guidelines for Inorganic Methods Superfund Data Review was followed since it is the most current version. This report details the evaluation of field XRF and laboratory data for the purpose of usability.

This document refers to the tables and attachments below.

- Table A1 contains the natural sample results with laboratory qualifiers; data validation qualifiers; enforcement, screening, and rejected classifications; and data validation reason codes.
- Table A2 contains the field duplicate pair samples with results, laboratory qualifiers, data validation qualifiers, data validation reason codes, and quality control (QC) criteria assessment.
- Table A3 contains sample identification information including the field sample name, sample type, sample location, laboratory sample name, sample date, analytical methods, and analytes.
- Table A4 contains the definitions for the laboratory qualifiers; data validation qualifiers; enforcement, screening, and rejected classification codes; and data validation reason codes.
- Table A5 contains the XRF Silicon Dioxide (SiO₂) Standard and Calibration Check Sample (CCS) results.
- Table A6 contains the XRF duplicate and replicate sample results and QC criteria assessment.
- Attachment 1 contains the data validation checklists. Attachment 1.1 and Attachment 1.2 contain the checklists for XRF analysis and laboratory analysis, respectively.

- Attachment 2 contains the Level A/B Assessment Checklist.
- Attachment 3 contains the QC criteria used in the data validation process.

The instrument output for XRF data, produced by Pioneer Technical Services, Inc. (Pioneer), was used to perform the data validation of the XRF results, and the standard data packages received from Pace Analytical Services, LLC (Pace) were used to perform the data validation of the laboratory results.

All data met the Level A and B criteria. Based on the validation process outlined in the CFRSSI DM/DV Plan (ARCO, 1992a), the quality of the data is ranked as enforcement quality, screening quality, or it is rejected. Enforcement quality data are defined in the CFRSSI DM/DV Plan as data that meet the Level A and B criteria (Attachment 2) and are not qualified as estimated or rejected after the data validation process. For sample results qualified as estimated “J” by the laboratory because the reported result is between the method detection limit (MDL) and analytical reporting limit (RL), values are considered enforcement data if no other qualifiers were required during validation. Enforcement quality data may be used for all purposes under the Superfund program including the following: site characterization, health and safety, engineering evaluation/cost analysis, remedial investigation/feasibility studies, evaluation of alternatives, confirmational purposes, risk assessments, and engineering design. Since all samples met the Level A and B documentation criteria, the results that were not qualified as estimated (e.g., J, J+, J-, or UJ) or rejected for some exceedance of quality assurance (QA)/QC criteria were considered “enforcement” quality data and were assigned an “E” in Table A1. Screening quality data, as defined in the CFRSSI DM/DV Plan, are those samples that do not meet the Level B criteria and/or were qualified as estimated (e.g., J, J+, J-, or UJ) during the data validation process. Potential uses of screening quality data, depending on their quality, include Site characterization, determining the presence or absence of contaminants, developing or refining sampling and analysis techniques, determining relative concentrations, scoping and planning for future studies, engineering studies and engineering design, and monitoring during implementation of the response action. Sample results that were qualified as estimated during the validation process were considered “screening” quality data and assigned an “S” in Table A1.

Data rejected during data validation cannot be used for any Superfund activities. No results were rejected.

The summary of data points in this DVR includes only the natural samples and does not include the field QC samples (the field duplicate). Note that the field QC samples underwent the same data validation procedures as the natural samples, and the results are included on the data validation checklists in Attachment 1. The qualifications made to field QC samples are listed in Table A2; however, the qualifications made to these samples are not included in the summary of qualifications made to natural data points, and the field QC samples are not included in Table A1.

For the 2021 Site sampling event, a total of 21 natural soil samples were collected. All samples were analyzed in the field by XRF, and 15 samples were sent to Pace for laboratory analysis of metals. This resulted in a total of 126 natural data points generated by the XRF analyses and 105

natural data points generated by the laboratory analysis. A summary by analysis type is shown below:

Analysis Type	Natural Samples	Data Points	Enforcement Quality Data Points (% of total)	Screening Quality Data Points (% of total)	Rejected Data Points (% of total)
XRF	21	126	104 (83%)	22 (17%)	0 (0%)
Pace	15	105	104 (99%)	1 (1%)	0 (0%)

Please note that 21 of the 22 (95%) screening quality XRF data points were qualifications made to the mercury results due to the lack of a CCS with a known amount of mercury, as discussed in Section 2.2.3.

Table A1 shows the laboratory qualifiers, data validation qualifiers, enforcement or screening designators, and the reason code for the qualification for each natural data point.

2.0 QUALITY ASSURANCE/QUALITY CONTROL REVIEW OF INORGANIC DATA

The QC criteria used during the data validation process are listed in Attachment 3.

For XRF data, the QC criteria were derived from the QAPP, the CFRSSI DM/DV Plan (ARCO, 1992a) and DM/DV Plan Addendum (AERL, 2000), the CFRSSI QAPP (ARCO, 1992b), the *Niton XL3 Mining QC Sheet* (ThermoFisher Scientific, 2014), and the Pioneer SOP for operating the XL3 XRF analyzer (SOP-SFM-02) (included in the QAPP).

For laboratory data, the QC criteria were derived from the QAPP, CFRSSI DM/DV Plan Addendum (AERL, 2000), the NFG for Inorganic Superfund Data Review (EPA, 2020), analytical methods, and method-specific laboratory SOPs.

Data validation checklists derived from the CFRSSI DM/DV Addendum (AERL, 2000) were completed for the XRF data and each laboratory report (Attachment 1). Below are the deviations made to the checklists provided in the CFRSSI DM/DV Addendum guidance document:

- The Laboratory Data Validation Checklist for Metals Analysis by Spectrace XRF was revised slightly to more accurately reflect the information provided by the XRF Analyzer (Niton XL3). The checklist is included in Attachment 1.1. The guidelines for XRF QA and QC are listed in Section 3.6 (Quality Assurance/Quality Control) of the QAPP.
- The Laboratory Data Validation Checklist for Metals Analysis by Inductively Coupled Plasma (ICP) or Graphite Furnace Atomic Absorption Spectrometry (GFAA) was revised slightly to more accurately reflect the information provided in the full data packages provided by Pace and the requirements listed in the NFG (EPA, 2020). The checklist is included in Attachment 1.2.
- The Data Validation Checklist for Field Quality Control was not filled out for each data package. Sections on field duplicates were added to each Laboratory Data Validation Checklist worksheet.

The relevant data validation checklists were completed for each sample delivery group (SDG) and included the data validation performed for the methods and analytes listed below:

Data Validation Checklist	Method	Analyte(s)
XRF	XRF	Arsenic, Cadmium, Copper, Lead, Mercury, and Zinc
Laboratory: Pace	EPA 6010D	Arsenic, Cadmium, Copper, Lead, and Zinc
	EPA 7471B	Mercury
	ASTM D2974	Percent Moisture

One Level A/B Assessment was completed for the Site (Attachment 2).

2.1 Field Quality Control Samples

The QAPP requirement for field duplicate collection frequency is 1 field duplicate sample per 20 natural samples or once per sampling event, whichever is more frequent. Disposable sampling equipment was used to collect soil samples; therefore, equipment rinsate blanks were not collected.

Any qualifications required based on the field QC sample results are detailed in the data validation checklists (Attachment 1) and are listed in Table A1 and Table A2.

Please note that although the field QC samples (field duplicate samples) may receive a qualifier during the data validation process, the enforcement and screening quality summaries and the precision and accuracy assessment summaries do not include the field QC sample results. Only the results of the natural samples are included in the data quality assessment summaries.

2.1.1 Field Duplicate

During the sampling event, 1 field duplicate sample was collected for the 15 natural samples submitted to Pace for analysis (6.7%); therefore, the collection frequency requirement for field duplicates (5%) was met.

The analytical RLs presented in the laboratory reports were used to evaluate the field duplicates. The field duplicate QC criteria assessments are listed in Table A2.

For the 21 natural XRF samples collected at the Site, 1 field duplicate sample (4.8%) was analyzed. However, 18 field duplicate samples (6%) were analyzed for the 300 natural XRF samples collected during the entire sampling event; therefore, the collection frequency requirement for field duplicates (5%) was met.

The QC criteria used to assess field duplicate pair results during data validation are listed in Attachment 3. The field duplicate sample pairs and QC criteria assessments are listed in Table A2. If a field duplicate result was outside the control limit, the parent sample and any samples considered sufficiently similar were qualified as specified in Attachment 3. Any qualifications made to natural samples based on the field duplicate sample results are detailed in the data validation checklists (Attachment 1) and are listed in Table A1 and Section 4.1.

2.1.2 Equipment Rinsate Blank

Disposable sampling equipment was used to collect soil samples; therefore, equipment rinsate blanks were not collected.

2.2 XRF Quality Control Samples

This section summarizes the XRF QC samples evaluated during the data validation of the XRF results.

2.2.1 Energy Calibration Check

The energy calibration check determines whether the characteristic X-ray lines are shifting, which would indicate drift within the instrument. The requirement set forth in the QAPP was the performance of the preprogrammed energy calibration check on the equipment at the beginning of each working day. During the sampling event, the energy calibration check was performed at the beginning of each working day.

2.2.2 Silicon Dioxide Standard

The SiO₂ standard, as provided by Niton, is a "clean" quartz or SiO₂ matrix that contains concentrations of selected analytes near or below the machine's lower limit of detection (LOD). Analysis results with the XRF instrument of this SiO₂ standard are used to monitor for cross contamination. The frequency requirement for SiO₂ standard sample analysis set forth in the QAPP is to complete analysis of this sample at the beginning of each day, once per every 20 samples, and at the end of each day's run sequence.

During the sampling event, the frequency requirement for SiO₂ standard samples was met. Results are listed in Table A5.

The SiO₂ standard sample results were within the control limits.

2.2.3 Calibration Check Samples

The CCSs help check the accuracy of the XRF instrument and assess the stability and consistency of the analysis for the analytes of interest. The CCSs used were the Niton-provided Standard Reference Materials (SRMs): NIST 2709a-Joaquin Soil (NIST 2709a) sample and a Resource Conservation and Recovery Act (RCRA) sample.

The frequency requirement for CCS analysis set forth in the QAPP is to complete analysis of at least 1 CCS at the start of each day, 1 per every 20 samples, and 1 as the last analysis each day. The frequency requirement for CCS analyses was met. Results are listed in Table A5.

The CCS results were within the control limits. However, there was no CCS that had a known amount of mercury greater than the LOD for mercury. Therefore, all detected mercury results

have been qualified “J” and all non-detected mercury results have been qualified “UJ.” This resulted in 21 mercury results qualified “UJ” due to the lack of an appropriate CCS.

Qualifications due to lack of an appropriate CCS standard are listed in Table A1.

2.2.4 XRF Duplicate and XRF Replicate Samples

The XRF duplicate and XRF replicate samples help check the precision of the XRF sampling method and instrument. The XRF duplicate sample was analyzed by removing the sample bag from the analytical stand, kneading it once or twice, and analyzing it a second time. The XRF replicate sample was analyzed immediately following the primary sample analysis by restarting the XRF to analyze the same sample a second time with the same soil in the XRF aperture.

The frequency requirement for XRF duplicate and XRF replicate samples set forth in the QAPP is the analysis of each sample once per every 20 samples (5%).

For the 21 natural XRF samples collected at the Site, 1 duplicate sample (4.8%) and 1 replicate sample (4.8%) were analyzed. However, 2 duplicate samples (6.7%) and 2 replicate samples (6.7%) were analyzed for the 30 natural XRF samples collected during the sampling event on September 8, 2021; therefore, the collection frequency requirement for XRF duplicate and XRF replicate samples (5%) was met.

Table A6 contains the XRF duplicate and XRF replicate sample pair results with the parent sample results and the QC criteria assessment. If the results were outside the control limit, the parent sample and any sample considered sufficiently similar were qualified “J” if the result was detected and “UJ” if the result was not detected.

Qualifications due to XRF duplicate and XRF replicate sample results outside the control limit are listed in Table A1 and discussed in Section 4.1.1.

2.3 Laboratory Quality Control Samples

The laboratory QC sample types vary depending on analytical method. The QC criteria used during data validation to evaluate the applicable laboratory QC samples are listed in Attachment 3 and Section 3.6 of the QAPP.

The Stage 2A data validation includes the evaluation of the following laboratory QC items as applicable per analytical method:

- Holding Times.
- Preservation.
- Method Blanks (MB).
- Laboratory Control Sample (LCS) and LCS Duplicates (LCSD).
- Laboratory Duplicate Samples (LDS).
- Laboratory Matrix Spike (LMS) and LMS Duplicates (LMSD).

The analytical RLs produced by each laboratory were used to evaluate the laboratory duplicates. The laboratory MDLs were used for the data review and validation of laboratory MB samples.

The appropriate laboratory QC samples were analyzed with each sample group. Any qualifications required based on the laboratory QC sample results are detailed in the data validation checklists (Attachment 1) and are listed in Table A1. Also refer to Section 4.1 and Section 4.2.

3.0 LEVEL A/B ASSESSMENT SUMMARY

Data that meet the Level A and Level B criteria and are not qualified as estimated or rejected are assessed as enforcement quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected can be assessed as screening quality data.

Screening quality data can be used only for certain activities, which include engineering studies and design. Data that do not meet both the Level A and B criteria are designated as unusable. The Level A/B Assessment Checklist for all samples collected for the Site are included as Attachment 2. Sample collection information was recorded in the field logbook, including sample collection date, location, and collection method. This information was reviewed for the Level A/B criteria.

As shown in Attachment 2, all the samples met both Level A and Level B criteria. No data were designated as screening quality or rejected based on the results of Level A/B assessment.

4.0 PRECISION, ACCURACY, REPRESENTATIVENESS, COMPARABILITY, COMPLETENESS, AND SENSITIVITY DATA SUMMARY

This section provides the precision, accuracy, representativeness, comparability, completeness, and sensitivity assessment for the XRF and laboratory data generated from samples collected during the 2021 Site sampling event.

4.1 Precision

Precision is the amount of scatter or variance that occurs in repeated measurements of a particular analyte.

4.1.1 XRF Precision

The precision control limit used for XRF soil samples was a relative percent difference (RPD) less than 35% when both sample results were detections. For XRF data, the precision assessment is based on the RPD of XRF duplicate, XRF replicate, and field duplicate sample pairs. If an RPD was outside the control limit, the parent sample and samples considered sufficiently similar to the parent sample were qualified. No natural samples were considered sufficiently similar enough to each other to require additional qualifications based on the variability of soil matrices.

If the parent sample was a duplicate sample, the duplicate sample's parent sample was considered sufficiently similar and was qualified when applicable.

There was one instance where an XRF duplicate pair did not meet the control limit. The XRF replicate and field duplicate pair results met the control limits. This resulted in the qualification of one natural data point due to XRF precision.

The natural sample qualified for poor XRF duplicate precision (Data Validation [DV] Reason Code = D%) is listed below:

Field Sample ID	Method	Analyte	DV Qualifier	DV Reason Code
BPSOU-UR36OP01-090821-1	XRF	Zinc	J	D%

This resulted in 1 (1%) of the 126 natural XRF data points that did not meet the precision requirements, and 125 (99%) of the 126 natural XRF data points that did meet the precision requirements.

4.1.2 Laboratory Precision

Acceptance or rejection of precision measurements is based on the RPD of the laboratory and field duplicates. For example, perfect precision would be a 0% RPD between duplicate samples (both samples have the same analytical result) for results that are greater than 5 times the laboratory RL. For total metals analysis, when both results are greater than 5 times the RL, acceptable precision is an RPD of plus or minus 35% in soil samples. For samples with 1 or both results less than 5 times the RL (including non-detect), acceptable precision is met if the absolute difference between the 2 sample results is less than 2 times the RL. This precision requirement is from Section 2.4.1 of the CFRSSI QAPP (ARCO, 1992b).

There was 1 instance where the field duplicate pair results from Pace did not meet the control limit. The laboratory duplicate pair results met the control limit. This resulted in the qualification of 1 natural data point due to field duplicate precision.

The natural sample qualified for poor field duplicate precision (DV Reason Code = FD) is listed below:

Field Sample ID	Method	Analyte	DV Qualifier	DV Reason Code
BPSOU-UR36SS04-090721-1	SW-846 7471B	Mercury	J	FD

This resulted in 1 (1%) of the 105 natural laboratory data points that did not meet the precision requirements, and 104 (99%) of the 105 natural laboratory data points that did meet the precision requirements.

4.2 Accuracy

Accuracy is the ability of the analytical procedure to determine the actual or known quantity of a particular substance in a sample.

4.2.1 XRF Accuracy

For the XRF data, the SiO₂ standard and CCS are used to assess accuracy. The control limit for these samples is summarized in Attachment 3. If a SiO₂ standard or CCS result was outside the control limit, the natural sample results analyzed in the same run sequence were qualified.

If a SiO₂ standard had a detected result greater than the control limit, the natural sample results analyzed in the same analytical run were qualified “J+” if the natural sample result was a detected result less than 10 times the SiO₂ standard result.

All SiO₂ standard results were within control limits.

If the CCS result was outside the control limits summarized in Attachment 3, the natural sample results in the same analytical run as these CCS results were qualified as “J” for detected results or “UJ” for non-detected results.

All CCS analysis results were within the control limits.

For the XRF results, 126 (100%) of the 126 natural XRF data points met the accuracy requirements.

4.2.2 Laboratory Accuracy

For the laboratory data, MB, LCS, LCSD, LMS, and LMSD were used to assess accuracy. The QC criteria used during data validation for each QC sample are summarized in Attachment 3.

Laboratory blanks were analyzed to assess artifacts introduced during analyses that may affect the accuracy of the data. In accordance with the CFRSSI QAPP (ARCO, 1992b), a data point is qualified as “U” if it is less than 5 times an associated blank result (MB) that does not meet the control limit.

The percent recoveries (%R) of the LCS, LCSD, LMS, and LMSD are used to measure accuracy. The LCS and LCSD measure sample preparation and analysis accuracy. The LMS and LMSD measure the effect that the sample matrix has on accuracy. Perfect %R would be 100% (the analysis result is exactly the known concentration of the spike amount in the LMS, LMSD, LCS, or LCSD).

There were no qualifications made to natural laboratory data points due to the indicators of accuracy.

For the laboratory results, 105 (100%) of the 105 natural laboratory data points met the accuracy requirements.

4.3 Representativeness

Representativeness is a qualitative parameter that is addressed through proper design of the sampling program. Samples for XRF analysis and laboratory analysis were collected in accordance with the QAPP and FSP.

The XRF and laboratory results were reviewed, and a Stage 2A data validation was completed. Based on information provided by Pace, the chain of custody requirements were met for the sample event. Preservation requirements were met for all samples and all samples were analyzed within the appropriate holding times.

The representativeness goals were met.

4.4 Comparability

Comparability is assessed to determine if one set of data can be compared to another set of data. Comparisons are made by examining and comparing the laboratory and field methods used to acquire sample data for different distinct data sets. The data summarized in this report includes soil samples collected and analyzed by Pioneer and Pace.

4.4.1 XRF Comparability

The soil samples were collected using standard sampling methods and Pioneer SOPs. The sampling design, SOPs, and XRF methods are based on EPA and other industry standard practices and were documented in the field logbook. Sample collection was completed by professionals who were properly trained in using the SOPs and equipment. Proper sample handling was observed during sample collection and analysis.

Consequently, data from past and future soil sampling events at the Site using comparable sampling and XRF analysis may be used in concert with this data set.

4.4.2 Laboratory Comparability

The samples were collected using standard sampling methods and Pioneer SOPs. The sampling design, SOPs, and laboratory analytical methods are based on EPA and other industry standard practices and were documented in the field logbook. Sample collection was completed by professionals who were properly trained in using the SOPs and equipment. Proper chain of custody and sample handling were observed during sample collection, delivery to the laboratory, and analysis. The analytical laboratories performed the sample analysis using industry standard methods.

Consequently, data from past and future sampling events at the Site using comparable sampling and analytical methods may be used in concert with this data set.

4.5 Completeness

Completeness is assessed to determine if enough valid data have been collected to meet the investigation needs. Completeness is assessed by comparing the number of valid sample results to the number of sample results planned for the investigation. The completeness target for this investigation was 95% or greater as designated in the CFRSSI QAPP (ARCO, 1992b).

The completeness for XRF and laboratory samples and results are summarized below:

Analysis Type	Collected Samples vs Planned Samples	Valid Data Points vs Total Data Points
XRF	100%	100%
Laboratory	100%	100%

4.5.1 XRF Completeness

The QAPP and FSP include the planned soil sample locations and list the planned analytical techniques including XRF analysis.

Samples were collected at 7 sample locations during the 2021 Site sampling event as specified in the FSP. All samples that were outlined in the FSP were collected for the Site. The completeness for XRF data based on sample collection was 100%, and the completeness goal was met.

In total, 126 XRF data points were generated. All data points are considered usable because no results were rejected. The 21 XRF samples collected were analyzed by XRF for arsenic, cadmium, copper, lead, mercury, and zinc. Therefore, the completeness for XRF data based on sample analysis was 100%, and the completeness goal was met.

4.5.2 Laboratory Completeness

The requirement for confirmation samples sent to the laboratory per the QAPP is at a rate of 1 per 10 natural XRF samples (10%), with additional samples sent to the laboratory for confirmation if the field results show the contaminant of concern (COC) levels at 35% above or 35% below established action/screening levels to limit decision errors.

For the 2021 Site sampling event, 15 of the 21 natural samples collected and analyzed by XRF were sent to Pace for analysis (71%). All natural samples collected with XRF results requiring confirmation were sent to Pace for analysis. The frequency requirement for the confirmation samples sent to the laboratory for analysis was met. Therefore, the completeness for laboratory samples based on sample collection was 100%, and the completeness goal was met.

In total, 105 natural laboratory data points were generated by the sampling event. The 15 laboratory samples were analyzed for arsenic, cadmium, copper, lead, mercury, zinc, and percent moisture. All the natural data points were usable since no sample results were rejected. Therefore, the completeness for laboratory data based on sample analysis was 100%, and the completeness goal was met.

4.6 Sensitivity

Sensitivity is a quantitative measure and is evaluated by comparing the detection limit to the project-specific sensitivity requirements.

4.6.1 XRF Sensitivity

The non-detected XRF results were reported as less than the LOD associated with each result.

The QAPP does not specify sensitivity requirements for XRF analyses; therefore, the action/screening levels in the QAPP were used to evaluate sensitivity for each analyte. The QAPP specified that samples must be sent to the laboratory for confirmation if the field results show the COC levels at 35% above or 35% below established action/screening levels to limit decision errors. Therefore, a value of 35% below the BPSOU Soil Screening Criteria for Storm Water COCs listed in Table 2 of the QAPP were used to evaluate sensitivity because they are less than the BPSOU Soil Action Level for Human Health listed in Table 1 of the QAPP. The required detection limit for XRF results is summarized below:

Analyte	Criteria	Units	Action/Screening Level	35% below
Arsenic	Storm Water	mg/kg	200	130
Cadmium	Storm Water	mg/kg	20	13
Copper	Storm Water	mg/kg	1,000	650
Lead	Storm Water	mg/kg	1,000	650
Mercury	Storm Water	mg/kg	10	6.5
Zinc	Storm Water	mg/kg	1,000	650

mg/kg: milligrams per kilogram.

The detection limit for the non-detected XRF results was less than 35% below the minimum action/screening level for each analyte except for the following results:

Field Sample ID	Method	Analyte	Units	Result (<LOD)
BPSOU-UR36SS01-090721-1	XRF	Mercury	mg/kg	<9.41
BPSOU-UR36SS01-090721-2	XRF	Mercury	mg/kg	<8.71
BPSOU-UR36SS01-090721-3	XRF	Mercury	mg/kg	<8.18
BPSOU-UR36SS02-090721-1	XRF	Mercury	mg/kg	<7.89
BPSOU-UR36SS02-090721-2	XRF	Mercury	mg/kg	<7.19
BPSOU-UR36SS02-090721-3	XRF	Mercury	mg/kg	<6.57
BPSOU-UR36SS03-090721-1	XRF	Mercury	mg/kg	<10.03
BPSOU-UR36SS03-090721-2	XRF	Mercury	mg/kg	<10.72
BPSOU-UR36SS03-090721-3	XRF	Mercury	mg/kg	<9.67
BPSOU-UR36SS04-090721-1	XRF	Mercury	mg/kg	<8.83
BPSOU-UR36SS04-090721-2	XRF	Mercury	mg/kg	<9
BPSOU-UR36SS04-090721-3	XRF	Mercury	mg/kg	<8.24
BPSOU-UR36SS05-090821-1	XRF	Mercury	mg/kg	<8.79
BPSOU-UR36SS05-090821-2	XRF	Mercury	mg/kg	<8.72
BPSOU-UR36SS05-090821-3	XRF	Mercury	mg/kg	<9.27
BPSOU-UR36SS06-090821-1	XRF	Mercury	mg/kg	<20.59
BPSOU-UR36SS06-090821-2	XRF	Mercury	mg/kg	<12.87
BPSOU-UR36SS06-090821-3	XRF	Mercury	mg/kg	<11.05
BPSOU-UR36OP01-090821-1	XRF	Mercury	mg/kg	<8.8
BPSOU-UR36OP01-090821-2	XRF	Mercury	mg/kg	<9.02
BPSOU-UR36OP01-090821-3	XRF	Mercury	mg/kg	<8.49

mg/kg: milligrams per kilogram. LOD: limit of detection.

These data points are considered usable with the recognition that the LOD for the non-detected results is higher than 35% below the lowest action/screening level.

4.6.2 Laboratory Sensitivity

All sample results from Pace had detections for all analytes.

4.7 Overall Data Summary

The following list shows an overall summary of the validation performed on the data generated by Pioneer for the samples collected during the 2021 Site sampling event.

Analysis Type	Total Natural		Level A/B	DV Qual J, J+, J-, or UJ	DV Qual R	DV Qual U or A	Enforcement Quality	Screening Quality	Rejected
	Samples	Data Points	A/B	Data Points	Data Points	Data Points	Data Points (% of total)	Data Points (% of Total)	Data Points (% of Total)
XRF	21	126	B	22	0	0	104 (83%)	22 (17%)	0 (0%)
Pace	15	105	B	1	0	0	104 (99%)	1 (1%)	0 (0%)

5.0 REFERENCES

- AERL, 2000. Clark Fork River Superfund Site Investigations (CFRSSI) Data Management/Data Validation (DM/DV) Plan Addendum. Prepared for ARCO by Exponent, Lake Oswego, Oregon. June 2000.
- ARCO, 1992a. Clark Fork River Superfund Site Investigations Data Management/Data Validation Plan. Atlantic Richfield Company. 1992.
- ARCO, 1992b. Clark Fork River Superfund Site Investigation, Quality Assurance Project Plan. Atlantic Richfield Company. 1992.
- Atlantic Richfield Company, 2021a. Butte Priority Soils Operable Unit (BPSOU) Unreclaimed Sites Final Field Sampling Plan (FSP) #3: UR-06, UR-07, UR-20, UR-22, UR-35, and UR-36. September 2021.
- Atlantic Richfield Company, 2021b. Final Unreclaimed Sites Quality Assurance Project Plan. June 2021.
- EPA, 2009. Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use. U.S. Environmental Protection Agency. January 2009.
- EPA, 2020. U.S. Environmental Protection Agency National Functional Guidelines for Inorganic Superfund Data Review. November 2020.
- ThermoFisher Scientific, 2014. Niton XL3 Mining QC Sheet, Document: 140-00072, March 2014.

TABLES

Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes

Table A2. Field Duplicate Pair Samples with Results, Laboratory Qualifiers, Data Validation Qualifiers, Data Validation Reason Codes, and QC Criteria Assessment

Table A3. Sample Identification

Table A4. Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Codes; and Reason Codes Definitions

Table A5. XRF SiO₂ Standard and Calibration Check Sample Results

Table A6. XRF Duplicate and Replicate Sample Results and QC Criteria Assessment

Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes

Station (Depth Interval)			UR-36-OP-01(0-2)					UR-36-OP-01(2-6)					UR-36-OP-01(6-12)					UR-36-SS-01(0-2)					UR-36-SS-01(2-6)					UR-36-SS-01(6-12)				
Field Sample ID			BPSOU-UR36OP01-090821-1					BPSOU-UR36OP01-090821-2					BPSOU-UR36OP01-090821-3					BPSOU-UR36SS01-090721-1					BPSOU-UR36SS01-090721-2					BPSOU-UR36SS01-090721-3				
Lab Sample ID			10578145014					10578145015					10578145016					10578145001					10578145002					N/A				
Sample Date			9/8/2021					9/8/2021					9/8/2021					9/7/2021					9/7/2021					9/7/2021				
Sample Type			Natural					Natural					Natural					Natural					Natural					Natural				
Method	Analyte	Units	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code
XRF	Arsenic	mg/kg	160.81			E		149.22			E		149.84			E		517.92			E		479.85			E		761.30			E	
XRF	Cadmium	mg/kg	<7.71	<LOD		E		10.61			E		<7.67	<LOD		E		<7.96	<LOD		E		8.17			E		<7.71	<LOD		E	
XRF	Copper	mg/kg	1,013.44			E		1,145.04			E		1,118.86			E		1,438.59			E		1,064.57			E		650.10			E	
XRF	Lead	mg/kg	372.53			E		395.10			E		507.25			E		754.74			E		833.41			E		596.93			E	
XRF	Mercury	mg/kg	<8.8	<LOD	UJ	S	CX	<9.02	<LOD	UJ	S	CX	<8.49	<LOD	UJ	S	CX	<9.41	<LOD	UJ	S	CX	<8.71	<LOD	UJ	S	CX	<8.18	<LOD	UJ	S	CX
XRF	Zinc	mg/kg	1,892.72		J	S	D%	2,303.35			E		1,383.73			E		1,542.20			E		898.93			E		560.56			E	
ASTM D2974	Moisture, Percent	%	2.0	N2		E		6.9	N2		E		6.8	N2		E		4.0	N2		E		7.7	N2		E						
SW-846 6010D	Arsenic	mg/kg	143			E		189			E		130			E		437	P6		E		401			E						
SW-846 6010D	Cadmium	mg/kg	2.9			E		2.9			E		2.3			E		3.2			E		1.8			E						
SW-846 6010D	Copper	mg/kg	850			E		915			E		790			E		1,270	P6		E		843			E						
SW-846 6010D	Lead	mg/kg	647			E		867			E		285			E		686	P6		E		824			E						
SW-846 6010D	Zinc	mg/kg	1,780			E		1,550			E		1,020			E		1,120	P6		E		637			E						
SW-846 7471B	Mercury	mg/kg	0.18			E		0.21			E		0.17			E		0.17			E		0.31			E						

Notes:

Depth intervals are inches below ground surface.

Qualification (Qual) and Reason Codes are defined in Table A4.

< - Not detected at the detection limit.

Abbreviations:

mg/kg - milligram per kilogram

Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes

Station (Depth Interval)			UR-36-SS-02(0-2)					UR-36-SS-02(2-6)					UR-36-SS-02(6-12)					UR-36-SS-03(0-2)					UR-36-SS-03(2-6)					UR-36-SS-03(6-12)					UR-36-SS-04(0-2)				
Field Sample ID			BPSOU-UR36SS02-090721-1					BPSOU-UR36SS02-090721-2					BPSOU-UR36SS02-090721-3					BPSOU-UR36SS03-090721-1					BPSOU-UR36SS03-090721-2					BPSOU-UR36SS03-090721-3					BPSOU-UR36SS04-090721-1				
Lab Sample ID			10578145003					N/A					N/A					N/A					N/A					10578145004									
Sample Date			9/7/2021					9/7/2021					9/7/2021					9/7/2021					9/7/2021					9/7/2021									
Sample Type			Natural					Natural					Natural					Natural					Natural					Natural									
Method	Analyte	Units	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code
XRF	Arsenic	mg/kg	193.07			E		155.18			E		76.10			E		783.61			E		824.14			E		842.38			E		113.47			E	
XRF	Cadmium	mg/kg	8.88			E		<7.09	<LOD		E		9.13			E		<8.59	<LOD		E		<8.66	<LOD		E		<8.77	<LOD		E		<7.79	<LOD		E	
XRF	Copper	mg/kg	1,092.45			E		481.24			E		517.26			E		1,144.70			E		901.23			E		981.33			E		1,139.16			E	
XRF	Lead	mg/kg	375.35			E		401.59			E		354.75			E		481.14			E		495.36			E		461.53			E		558.21			E	
XRF	Mercury	mg/kg	<7.89	<LOD	UJ	S	CX	<7.19	<LOD	UJ	S	CX	<6.57	<LOD	UJ	S	CX	<10.03	<LOD	UJ	S	CX	<10.72	<LOD	UJ	S	CX	<9.67	<LOD	UJ	S	CX	<8.83	<LOD	UJ	S	CX
XRF	Zinc	mg/kg	709.82			E		599.39			E		519.22			E		381.94			E		386.33			E		376.79			E		2,389.68			E	
ASTM D2974	Moisture, Percent	%	4.3	N2		E																										2.7	N2		E		
SW-846 6010D	Arsenic	mg/kg	153			E																										90.9			E		
SW-846 6010D	Cadmium	mg/kg	0.50			E																										2.4			E		
SW-846 6010D	Copper	mg/kg	719			E																										963			E		
SW-846 6010D	Lead	mg/kg	249			E																										445			E		
SW-846 6010D	Zinc	mg/kg	345			E																										1,420			E		
SW-846 7471B	Mercury	mg/kg	0.13			E																										0.13		J	S	FD	

Notes:

Depth intervals are inches below ground surface.

Qualification (Qual) and Reason Codes are defined in Table A4.

< - Not detected at the detection limit.

Abbreviations:

mg/kg - milligram per kilogram

Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes

Station (Depth Interval)			UR-36-SS-04(2-6)					UR-36-SS-04(6-12)					UR-36-SS-05(0-2)					UR-36-SS-05(2-6)					UR-36-SS-05(6-12)					UR-36-SS-06(0-2)					UR-36-SS-06(2-6)				
Field Sample ID			BPSOU-UR36SS04-090721-2					BPSOU-UR36SS04-090721-3					BPSOU-UR36SS05-090821-1					BPSOU-UR36SS05-090821-2					BPSOU-UR36SS05-090821-3					BPSOU-UR36SS06-090821-1					BPSOU-UR36SS06-090821-2				
Lab Sample ID			10578145006					10578145007					10578145008					10578145009					10578145010					10578145011					10578145012				
Sample Date			9/7/2021					9/7/2021					9/8/2021					9/8/2021					9/8/2021					9/8/2021					9/8/2021				
Sample Type			Natural					Natural					Natural					Natural					Natural					Natural					Natural				
Method	Analyte	Units	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code	Result	Lab Qual	DV Qual	S/E	Reason Code
XRF	Arsenic	mg/kg	121.38			E		103.20			E		261.77			E		155.72			E		149.53			E		175.30			E		115.46			E	
XRF	Cadmium	mg/kg	11.40			E		8.66			E		13.90			E		9.58			E		13.16			E		13.62			E		<8.69	<LOD		E	
XRF	Copper	mg/kg	961.81			E		1,329.67			E		1,044.04			E		1,186.56			E		1,147.78			E		3,190.03			E		1,573.74			E	
XRF	Lead	mg/kg	426.31			E		481.01			E		938.06			E		724.99			E		648.18			E		1,278.40			E		868.37			E	
XRF	Mercury	mg/kg	<9	<LOD	UJ	S	CX	<8.24	<LOD	UJ	S	CX	<8.79	<LOD	UJ	S	CX	<8.72	<LOD	UJ	S	CX	<9.27	<LOD	UJ	S	CX	<20.59	<LOD	UJ	S	CX	<12.87	<LOD	UJ	S	CX
XRF	Zinc	mg/kg	2,666.43			E		1,804.24			E		1,614.46			E		1,896.49			E		3,399.43			E		8,077.37			E		3,812.93			E	
ASTM D2974	Moisture, Percent	%	10.4	N2		E		9.1	N2		E		2.9	N2		E		7.6	N2		E		8.8	N2		E		2.1	N2		E		5.5	N2		E	
SW-846 6010D	Arsenic	mg/kg	89.8			E		202			E		106			E		119			E		108			E		135			E		92.4			E	
SW-846 6010D	Cadmium	mg/kg	1.9			E		4.7			E		2.1			E		5.2			E		7.7			E		3.9			E		3.9			E	
SW-846 6010D	Copper	mg/kg	794			E		1,090			E		723			E		978			E		851			E		3,370			E		2,100			E	
SW-846 6010D	Lead	mg/kg	463			E		476			E		613			E		1,020			E		766			E		960			E		1,540			E	
SW-846 6010D	Zinc	mg/kg	1,120			E		1,100			E		1,140			E		1,990			E		2,970			E		7,490			E		4,750			E	
SW-846 7471B	Mercury	mg/kg	0.12			E		0.17			E		0.15			E		0.45			E		0.61			E		0.058			E		0.18			E	

Notes:

Depth intervals are inches below ground surface.

Qualification (Qual) and Reason Codes are defined in Table A4.

< - Not detected at the detection limit.

Abbreviations:

mg/kg - milligram per kilogram

Table A1. Natural Sample Results with Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Classifications; and Data Validation Reason Codes

Station (Depth Interval)			UR-36-SS-06(6-12)				
Field Sample ID			BPSOU-UR36SS06-090821-3				
Lab Sample ID			10578145013				
Sample Date			9/8/2021				
Sample Type			Natural				
Method	Analyte	Units	Result	Lab Qual	DV Qual	S/E	Reason Code
XRF	Arsenic	mg/kg	108.95			E	
XRF	Cadmium	mg/kg	<8.01	<LOD		E	
XRF	Copper	mg/kg	1,008.49			E	
XRF	Lead	mg/kg	1,050.87			E	
XRF	Mercury	mg/kg	<11.05	<LOD	UJ	S	CX
XRF	Zinc	mg/kg	3,098.76			E	
ASTM D2974	Moisture, Percent	%	6.5	N2		E	
SW-846 6010D	Arsenic	mg/kg	68.2			E	
SW-846 6010D	Cadmium	mg/kg	4.1			E	
SW-846 6010D	Copper	mg/kg	1,040			E	
SW-846 6010D	Lead	mg/kg	992			E	
SW-846 6010D	Zinc	mg/kg	3,480			E	
SW-846 7471B	Mercury	mg/kg	0.34			E	

Notes:

Depth intervals are inches below ground surface.

Qualification (Qual) and Reason Codes are defined in Table A4.

< - Not detected at the detection limit.

Abbreviations:

mg/kg - milligram per kilogram

Table A2. Field Duplicate Pair Samples with Results, Laboratory Qualifiers, Data Validation Qualifiers, Data Validation Reason Codes, and QC Criteria Assessment

Station (Depth Interval)			UR-36-SS-04(0-2)						UR-36-SS-04(0-2)-FD									
Field Sample ID			BPSOU-UR36SS04-090721-1						BPSOU-UR36SS04-090721-1-FD									
Lab Sample ID			10578145004						10578145005									
Sample Date			9/7/2021						9/7/2021									
Sample Type			Natural Sample						Field Duplicate									
Method	Analyte	Units	Result	Lab Qual	DV Qual	Reason Code	DF	RL	Result	Lab Qual	DV Qual	Reason Code	DF	RL	Control Limit ¹	ABS DIF	RPD	Meets Control Limit?
XRF	Arsenic	mg/kg	113.47				1	N/A	127.60				1	N/A	RPD≤35%		12%	Yes
XRF	Cadmium	mg/kg	<7.79	<LOD			1	N/A	<7.75	<LOD			1	N/A	N/A		-	-
XRF	Copper	mg/kg	1,139.16				1	N/A	1,098.22				1	N/A	RPD≤35%		4%	Yes
XRF	Lead	mg/kg	558.21				1	N/A	487.25				1	N/A	RPD≤35%		14%	Yes
XRF	Mercury	mg/kg	<8.83	<LOD	UJ	CX	1	N/A	<9.17	<LOD	UJ	CX	1	N/A	N/A		-	-
XRF	Zinc	mg/kg	2,389.68				1	N/A	2,761.23				1	N/A	RPD≤35%		14%	Yes
ASTM D2974	Moisture, Percent	%	2.7	N2			1	0.1	2.9	N2			1	0.1	RPD≤35%		7%	Yes
SW-846 6010D	Arsenic	mg/kg	90.9				1	1.0	80.2				1	1.0	RPD≤35%		13%	Yes
SW-846 6010D	Cadmium	mg/kg	2.4				1	0.15	2.2				1	0.15	RPD≤35%		9%	Yes
SW-846 6010D	Copper	mg/kg	963				1	0.50	863				1	0.51	RPD≤35%		11%	Yes
SW-846 6010D	Lead	mg/kg	445				1	0.50	387				1	0.51	RPD≤35%		14%	Yes
SW-846 6010D	Zinc	mg/kg	1,420				1	2.0	1,300				1	2.0	RPD≤35%		9%	Yes
SW-846 7471B	Mercury	mg/kg	0.13		J	FD	1	0.019	0.22		J	FD	1	0.019	RPD≤35%		51%	RPD>35%

Notes:

Qualification (Qual) and Reason Codes are defined in Table A4.

< - Not detected at the detection limit.

The qualifications made to the field duplicate samples (DV Qual/Reason Code) are not included in the summary of qualifications made to natural samples discussed in the Data Validation Report.

Depth intervals are inches below ground surface.

Abbreviations:

DF - dilution factor

RL - reporting limit

ABS DIF - absolute difference

RPD - relative percent difference

mg/kg - milligram per kilogram

Footnotes:

1. If the control limit is an absolute difference less than 2 times the reporting limit, the minimum adjusted reporting limit will be used.

Table A3. Sample Identification

Station ID	Field Sample ID	Sample Type	Depth Interval (in bgs)	Sample Date	XRF	Lab ID	ASTM D2974	SW-846 6010D	SW-846 7471B
UR-36-OP-01	BPSOU-UR36OP01-090821-1	Natural	0 - 2	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145014	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-OP-01	BPSOU-UR36OP01-090821-2	Natural	2 - 6	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145015	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-OP-01	BPSOU-UR36OP01-090821-3	Natural	6 - 12	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145016	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-01	BPSOU-UR36SS01-090721-1	Natural	0 - 2	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145001	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-01	BPSOU-UR36SS01-090721-2	Natural	2 - 6	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145002	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-01	BPSOU-UR36SS01-090721-3	Natural	6 - 12	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-02	BPSOU-UR36SS02-090721-1	Natural	0 - 2	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145003	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-02	BPSOU-UR36SS02-090721-2	Natural	2 - 6	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-02	BPSOU-UR36SS02-090721-3	Natural	6 - 12	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-03	BPSOU-UR36SS03-090721-1	Natural	0 - 2	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-03	BPSOU-UR36SS03-090721-2	Natural	2 - 6	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-03	BPSOU-UR36SS03-090721-3	Natural	6 - 12	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	N/A			
UR-36-SS-04	BPSOU-UR36SS04-090721-1	Natural	0 - 2	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145004	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-04	BPSOU-UR36SS04-090721-1-FD	Field Duplicate	0 - 2	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145005	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-04	BPSOU-UR36SS04-090721-2	Natural	2 - 6	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145006	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-04	BPSOU-UR36SS04-090721-3	Natural	6 - 12	9/7/2021	As, Cd, Cu, Pb, Hg, Zn	10578145007	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-05	BPSOU-UR36SS05-090821-1	Natural	0 - 2	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145008	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-05	BPSOU-UR36SS05-090821-2	Natural	2 - 6	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145009	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-05	BPSOU-UR36SS05-090821-3	Natural	6 - 12	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145010	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-06	BPSOU-UR36SS06-090821-1	Natural	0 - 2	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145011	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-06	BPSOU-UR36SS06-090821-2	Natural	2 - 6	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145012	moisture	As, Cd, Cu, Pb, Zn	Hg
UR-36-SS-06	BPSOU-UR36SS06-090821-3	Natural	6 - 12	9/8/2021	As, Cd, Cu, Pb, Hg, Zn	10578145013	moisture	As, Cd, Cu, Pb, Zn	Hg

Abbreviations:

in bgs - inches below ground surface

As - arsenic

Cd - cadmium

Cu - copper

Pb - lead

Hg - mercury

Zn - zinc

Table A4. Laboratory Qualifiers; Data Validation Qualifiers; Enforcement, Screening, and Rejected Codes; and Reason Codes Definitions

Lab Qual (Pace Analytical Services [Pace] Qualifiers)

P6 = Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

N2 = The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply.

XRF Qual (XRF Qualifiers)

<LOD = Not detected at the reporting limit.

DV Qual (Data Validation Qualifiers)

J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

UJ = The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

S/E (Screening/Enforcement Quality Designation)

E = Enforcement quality.

S = Screening quality.

R = Unusable (Rejected) quality.

Reason Code (Data Validation Reason Codes)

CX = Qualified because frequency of check samples was not satisfied.

D% = Qualified due to laboratory duplicate results outside control limits.

FD = Qualified due to field duplicate results outside of control limits.

Table A5. XRF SiO2 Standard and Calibration Check Sample Results

Analyte			Arsenic		Cadmium		Copper		Lead		Mercury		Zinc	
Standard Type	Sample ID	Analysis Date	Result (mg/kg)	Meets Control Limit (<10 mg/kg)	Result (mg/kg)	Meets Control Limit (<50 mg/kg)	Result (mg/kg)	Meets Control Limit (<20 mg/kg)	Result (mg/kg)	Meets Control Limit (<10 mg/kg)	Result (mg/kg)	Meets Control Limit (<10 mg/kg)	Result (mg/kg)	Meets Control Limit (<10 mg/kg)
SiO2	P_20210908_98052_462	9/8/2021	<2.59	Yes	7.43	Yes	<11.35	Yes	<3.53	Yes	<4.85	Yes	<5.58	Yes
SiO2	P_20210908_98052_488	9/8/2021	<2.66	Yes	13.29	Yes	<11.42	Yes	<3.43	Yes	<4.75	Yes	<5.39	Yes
SiO2	P_20210908_98052_504	9/8/2021	<2.48	Yes	13.57	Yes	<11.33	Yes	<3.17	Yes	<4.77	Yes	<5.4	Yes

Analyte			Arsenic		Cadmium		Copper		Lead		Mercury		Zinc	
Standard Type	Sample ID	Analysis Date	Result (mg/kg)	Meets Control Limit (0-35 mg/kg)	Result (mg/kg)	Meets Control Limit (0-60 mg/kg)	Result (mg/kg)	Meets Control Limit (0-60 mg/kg)	Result (mg/kg)	Meets Control Limit (0-35 mg/kg)	Result (mg/kg)	Meets Control Limit (0-12 mg/kg)	Result (mg/kg)	Meets Control Limit (50-160 mg/kg)
NIST 2709a	P_20210908_98052_463	9/8/2021	12.19	Yes	9.05	Yes	36.14	Yes	14.82	Yes	<6.39	Yes	96.06	Yes
NIST 2709a	P_20210908_98052_489	9/8/2021	9.91	Yes	11.00	Yes	44.38	Yes	15.83	Yes	<6.43	Yes	89.49	Yes
NIST 2709a	P_20210908_98052_511	9/8/2021	12.93	Yes	14.48	Yes	31.73	Yes	14.87	Yes	<6.31	Yes	86.80	Yes

Analyte			Arsenic		Cadmium		Copper		Lead		Mercury		Zinc	
Standard Type	Sample ID	Analysis Date	Result (mg/kg)	Meets Control Limit (400-600 mg/kg)	Result (mg/kg)	Meets Control Limit (400-600 mg/kg)	Result (mg/kg)	Meets Control Limit (N/A)	Result (mg/kg)	Meets Control Limit (400-600 mg/kg)	Result (mg/kg)	Meets Control Limit (N/A)	Result (mg/kg)	Meets Control Limit (N/A)
RCRA	P_20210908_98052_464	9/8/2021	507.28	Yes	514.04	Yes	18.73	N/A	489.53	Yes	<7.18	N/A	46.21	N/A
RCRA	P_20210908_98052_490	9/8/2021	489.32	Yes	504.43	Yes	19.90	N/A	474.33	Yes	<7	N/A	47.72	N/A
RCRA	P_20210908_98052_510	9/8/2021	500.16	Yes	502.64	Yes	<16	N/A	483.23	Yes	<7.16	N/A	41.01	N/A

Notes:

< - Not detected value is the XRF error for analysis.

Abbreviations:

mg/kg - milligram per kilogram

SiO2 - Silicon Dioxide standard

NIST 2709a - NIST 2709a- Joaquin Soil sample

RCRA - Resource Conservation and Recovery Act Sample

Table A6. XRF Duplicate and Replicate Sample Results and QC Criteria Assessment

Standard Type	Sample ID	Sample Name	Parent Sample	Analyte	Arsenic		Cadmium		Copper		Lead		Mercury		Zinc	
					Result (mg/kg)	RPD	Result (mg/kg)	RPD	Result (mg/kg)	RPD	Result (mg/kg)	RPD	Result (mg/kg)	RPD	Result (mg/kg)	RPD
Natural	P_20210908_98052_485	BPSOU-UR36OP01-090821-1		9/8/2021	160.81		<7.71		1,013.44		372.53		<8.8		1,892.72	
XRF Replicate	P_20210908_98052_486	BPSOU-UR36OP01-090821-1-R	BPSOU-UR36OP01-090821-1	9/8/2021	170.89	6.1%	11.44	ND	1,018.38	0.5%	373.37	0.2%	<8.66	ND	1,817.62	4.1%
XRF Duplicate	P_20210908_98052_487	BPSOU-UR36OP01-090821-1-D	BPSOU-UR36OP01-090821-1	9/8/2021	181.47	12.1%	9.79	ND	1,175.24	14.8%	483.17	25.9%	<9.79	ND	3,870.31	68.6%

Notes:

< - Not detected value is the XRF error for analysis.

Abbreviations:

mg/kg - milligram per kilogram

ND = non-detected

RPD = relative percent difference

Attachment 1

Data Validation Checklists

Attachment 1.1

Data Validation Checklists for XRF Analyses

Data Validation Checklist XRF Sample Analysis

Site: Butte Priority Soils Operable Unit
Project: Unreclaimed Sites 2021
Sample Date: 9/7/2021, 9/8/2021
Data Validator: Sara Ward

Case No: P_20210908
Sample Matrix: Soil
Analysis Dates: 9/8/2021
Validation Dates: 10/20/2021

Laboratory: Pioneer Technical Services, Inc.
Analyses: Arsenic; Cadmium; Copper; Lead; Mercury; Zinc

1. Holding Times

Analyte	Laboratory	Matrix	Method	Holding Times	Collection Date	Analysis Date(s)	Holding Time Met (Y/N)	Affected Data Flagged (Y/N)
As, Cd, Cu, Pb, Hg, Zn	Pioneer	Soil	XRF	N/A	9/7/2021, 9/8/2021	9/8/2021	N/A	N/A
<p>Were any data flagged because of holding time? Y <input type="checkbox"/> N <input checked="" type="checkbox"/></p> <p>What sample preparation steps were performed (i.e. drying, sieving etc.)? Drying and sieving</p> <p>Were the samples prepped according to the SAP/QAPP? Y <input checked="" type="checkbox"/> N <input type="checkbox"/></p> <p>Describe Any Actions Taken: None required</p> <p>Comments:</p>								

2. Energy Calibration (System Check)

Was the energy calibration performed at the frequency of once per day?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Was the energy calibration Resolution below 195?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Did the energy calibration run for at least 50 seconds?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Describe Any Actions Taken:	None required			
Comments:				

3. SiO₂ Standards

Was the SiO ₂ Standard analyzed at the beginning of analysis?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Was the SiO ₂ Standard analyzed at the frequency of 1 per 20 samples?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were the SiO ₂ Standard results within the control limits?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were any data flagged because of the SiO ₂ Standard results?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>
Describe Any Actions Taken:	None required			
Comments:	Detections for cadmium (7.43 mg/kg, 13.29 mg/kg, and 13.57 mg/kg) in the SiO ₂ Standards did not require qualifications since the detections were below the control limit (50 mg/kg).			

4. Calibration Check Samples

Were the appropriate Calibration Check Samples (CCS) analyzed at the beginning of analysis?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were the appropriate CCS analyzed at the frequency of 1 per 20 natural samples?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were CCS results within the control limits?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were any data flagged because of CCS problems?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Describe Any Actions Taken:	There were no calibration check samples that had a known amount (true value) of mercury greater than the limit of detection (LOD). Therefore, all mercury results have been qualified "UJ".			
Comments:				

5. Duplicate Sample Results

Were Duplicate Samples analyzed at the frequency of 1 per 20 natural samples?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were Duplicate Sample results within the control window?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>
Were any data flagged because of duplicate sample results?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>

Describe Any Actions Taken: The following XRF duplicate samples were analyzed on 9/8/2021:

XRF Duplicate Sample	Primary Sample
BPSOU-UR36OP01-090821-1-D	BPSOU-UR36OP01-090821-1
BPSOU-UR35OP01-090821-3-D	BPSOU-UR35OP01-090821-3

For the BPSOU-UR36OP01-090821-1-D and BPSOU-UR36OP01-090821-1 duplicate pair, the RPD for zinc (69%) was outside control limits (35%). BPSOU-UR36OP01-090821-1 was qualified "J" for zinc.

The following XRF field duplicate samples were analyzed on 9/8/2021:

XRF Field Duplicate Sample	Primary Sample
BPSOU-UR36SS04-090721-1-FD	BPSOU-UR36SS04-090721-1
BPSOU-UR35SS02-090821-2-FD	BPSOU-UR35SS02-090821-2

For the BPSOU-UR35SS02-090821-2-FD and BPSOU-UR35SS02-090821-2 duplicate pair, the RPD for arsenic (47%) and cadmium (37%) were outside control limits (35%). BPSOU-UR35SS02-090821-2 and BPSOU-UR35SS02-090821-2-FD were qualified "J" for arsenic and cadmium.

Comments:

6. Replicate Sample Results

Were Replicate Samples analyzed at the frequency of 1 per 20 natural samples?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were replicate sample results within the control window?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>
Were any data flagged because of replicate sample results?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>

Describe Any Actions Taken: None required

Comments: The following XRF replicate sample was analyzed on 9/8/2021:

XRF Replicate Sample	Primary Sample
BPSOU-UR36OP01-090821-1-R	BPSOU-UR36OP01-090821-1
BPSOU-UR35OP01-090821-3-R	BPSOU-UR35OP01-090821-3

7. Overall Assessment

Are there analytical limitations of the data that users should be aware of?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
---	---	-------------------------------------	---	--------------------------


If so, explain: On this WO P_20210908, the following qualifications were made:


Two (2) cadmium results were qualified "J" due to an elevated XRF field duplicate RPD.
 Two (2) arsenic results were qualified "J" due to an elevated XRF field duplicate RPD.
 One (1) zinc result was qualified "J" due to an elevated XRF duplicate RPD.
 Thirty (30) mercury results have been qualified "UJ" due to the lack of an appropriate calibration check sample.

Comments:

8. Authorization of Data Validation

Data Validator
Name: Sara Ward

Signature:  **Date:** 10/20/2021

Reviewed by:  **Date:** 10/21/2021

Attachment 1.2
Data Validation Checklists for Laboratory Analyses

Stage 2A Data Validation Checklist for Sample Analysis

Site: Butte Priority Soils Operable Unit
Project: Unreclaimed Sites 2021
Sample Date(s): 09/07/2021, 09/08/2021
Data Validator: Sara Ward

Case No: 10578145
Sample Matrix: Soil
Analysis Date(s): 09/13/2021, 09/20/2021
Validation Date(s): 10/19/2021

Laboratory: Pace Analytical
Analyses: As, Cd, Cu, Pb, Zn (EPA 6010D), Hg (EPA 7471B), and Percent Moisture (ASTM D2974)

1. Holding Times

Analyte	Laboratory	Matrix	Method	Holding Times	Collection Date(s)	Analysis Date(s)	Holding Time Met (Y/N)	Affected Data Flagged (Y/N)
As, Cd, Cu, Pb, and Zn	Pace	Soil	EPA 6010D	6 months	09/07/2021, 09/08/2021	09/20/2021	Y	N/A
Hg			EPA 7471B	28 days		09/20/2021	Y	N/A
Percent Moisture			ASTM D2974	N/A		09/13/2021	Y	N/A

Were any data flagged because of holding time? Y N
 Were any data flagged because of preservation problems? Y N

Describe Any Actions Taken: None Required.

Comments: The receiving temperature as reported by the laboratory was 3.7°C. The samples were shipped on ice and analyzed within holding time.

2. Blanks

Were Method Blanks (MBs) analyzed at the frequency of 1 per analytical batch? Y N
 Were MBs within the control window? Y N
 Were any data flagged because of blank problems? Y N

Describe Any Actions Taken: None Required.

Comments: MB for EPA 7471B was non-detect.

For EPA 6010D, there was a detection of copper (0.11 mg/kg) and zinc (0.24 mg/kg) in the MB at a level less than ½ the reporting limit (0.50 mg/kg and 2.0 mg/kg, respectively). No qualifications were warranted since the detections were less than ½ the reporting limits. All other analytes were non-detect.

A MB was not analyzed for ASTM D2974.

3. Laboratory Control Samples

Were Laboratory Control Samples (LCS) analyzed at the frequency of 1 per batch? Y N
 Were LCS results within the control window? Y N
 Were any data flagged because of LCS problems? Y N

Describe Any Actions Taken: None Required.

Comments: The LCS %R were within limits for EPA 6010D and EPA 7471B. An LCS was not analyzed for ASTM D2974.

4. Duplicate Sample Results

Were Laboratory Duplicate Samples (LDS) analyzed at the frequency of 1 per batch?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were LDS results within the control window?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were any data flagged because of LDS problems?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>

Describe Any Actions Taken: None Required.

Comments: For method EPA 7471B batch 769647, an LMS/LMS Duplicate (LMSD) generated from BPSOU-UR36SS01-090721-1 was used for the LDS calculation. The RPD was within control limits.

For method EPA 6010D batch 769642, an LMS/LMS Duplicate (LMSD) generated from BPSOU-UR36SS01-090721-1 was used for the LDS calculations. The RPDs were within control limits.

For ASTM D2974, a duplicate generated from BPSOU-UR36SS01-090721-1 and a duplicate generated from BPSOU-UR36SS06-090821-1 were used for the LDS calculations. The RPDs were within control limits.

5. Matrix Spike Sample Results

Were Laboratory Matrix Spike Samples (LMS) analyzed at the frequency of 1 per batch?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>
Were LMS results within the control window?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>
Were any data flagged because of LMS problems?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>

Describe Any Actions Taken: None Required.

Comments: For method EPA 7471B batch 769647, an LMS/LMSD was generated from BPSOU-UR36SS01-090721-1. The %R of the LMS/MSD for mercury were within control limits (80-120%); therefore, no qualifications were warranted.

For method EPA 6010D batch 769642, an LMS/LMSD was generated from BPSOU-UR36SS01-090721-1. The %R of the LMS/LMSD for arsenic (217% and 203%, respectively), copper (267% and -70%, respectively), lead (253% and 145%, respectively), and zinc (45% and -37%, respectively) were outside control limits (75-125%). Per the NFG, *“Spike recovery limits do not apply when the original sample concentration is ≥ 4 times the spike added. In such an event, the data shall be reported unflagged, even if the %R does not meet acceptance criteria”* (EPA, 2017). The original sample concentrations of these analytes were greater than 4 times the spike added for these analytes; therefore, no qualifications were warranted. All other %R were within limits.

An LMS was not analyzed for ASTM D2974.

6. Field Blanks

Were field blanks submitted as specified in the QAPP?	Y	<input type="checkbox"/>	N	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
Were field blanks within the control window?	Y	<input type="checkbox"/>	N	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>
Were any data qualified because of field blank problems?	Y	<input type="checkbox"/>	N	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>

Describe Any Actions Taken: None Required.

Comments: Field blanks were not required as there is no sampling equipment re-used.

7. Field Duplicates

Were field duplicates submitted as specified in the QAPP?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Were results for field duplicates within the control window?	Y	<input type="checkbox"/>	N	<input checked="" type="checkbox"/>	N/A	<input type="checkbox"/>
Were any data qualified because of field duplicate problems?	Y	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>	N/A	<input type="checkbox"/>

Describe Any Actions Taken: One field duplicate pair was submitted on this work order, BPSOU-UR36SS04-090721-1 and BPSOU-UR36SS04-090721-1-FD. For EPA 7471B, both the sample and field duplicate results were greater than 5 times the reporting limit, but the RPD (51%) was greater than 35%; therefore, mercury results for BPSOU-UR-36SS04-090721-1 and BPSOU-UR36SS04-090721-1-FD were qualified “J”. Per the NFG, *“For a duplicate sample analysis that does not meet the technical criteria, apply the action to all samples of the same matrix if the samples are considered sufficiently similar”* (EPA, 2017). There are no samples that are considered sufficiently similar to warrant qualification.

Comments: The precision for all EPA 6010D and ASTM D2974 analytes was within control limits.

8. Overall Assessment

Are there analytical limitations of the data that users should be aware of?

Y N

If so, explain: On this WO 10578145, the following qualifications were made:

In addition to the qualifications outlined in the sections above, results which were reported between the method detection limit and the reporting limit were qualified "A" when no additional qualifications were warranted.

The table below lists the qualifications on the natural samples:

Field ID	Analyte	Final Qualification	Reason Code
BPSOU-UR36SS04-090721-1	Mercury	J	FD

The table below lists the qualifications on the field quality control samples:

Field ID	Analyte	Final Qualification	Reason Code
BPSOU-UR36SS04-090721-1-FD	Mercury	J	FD

Reason for qualification:

FD = Field duplicate precision was outside control limits.

Comments:

9. Authorization of Data Validation

Data Validator

Name: Sara Ward

Reviewed by: Josie McElroy

Signature:

Sara Ward

Josie McElroy

Date:

10/19/2021

10/19/2021

Attachment 2

Level A/B Assessment Checklist

Level A/B Assessment Checklist

1. General Information

Site: Butte Priority Soils Operable Unit
 Project: Unreclaimed Sites 2021
 Client: Atlantic Richfield Company
 Sample Matrix: Soil

2. Screening Result

Data are:

1. Unusable
2. Level A
3. Level B 10578145 and P_20210908_98052

I. Level A

Criteria – The following must be fully documented.	Yes/No	Comments
1. Sampling date	Yes	Logbook
2. Sampling team or leader	Yes	Logbook
3. Physical description of sampling location	Yes	Logbook
4. Sample depth (soils)	Yes	Logbook
5. Sample collection technique	Yes	Logbook
6. Field preparation technique	Yes	Logbook
7. Sample preservation technique	Yes	Logbook
8. Sample shipping records	Yes	Logbook and Chain of Custody (CoC)

II. Level B

Criteria – The following must be fully documented.	Yes/No	Comments
1. Field instrumentation methods and standardization complete	Yes	Logbook
2. Sample container preparation	Yes	Logbook
3. Collection of field replicates (1/20 minimum)	Yes	Logbook
4. Proper and decontaminated sampling equipment	Yes	Logbook
5. Field custody documentation	Yes	Logbook and CoC
6. Shipping custody documentation	Yes	Logbook and CoC
7. Traceable sample designation number	Yes	Logbook Lab Report, and CoC
8. Field notebook(s), custody records in secure repository	Yes	
9. Completed field forms	Yes	Logbook and Field Data Sheets

Attachment 3

Data Validation Quality Control Criteria

XRF							
Quality Control	Frequency	Acceptance Criteria	Criteria	Action			Reference
				Associated Sample Result Detected	Associated Sample Result Non-Detected	Reason Code	
System Check	Performed daily, prior to sample analysis	Performed daily, prior to sample analysis	System Check not performed	Professional Judgment J/R	Professional Judgment UJ/R	CX	SOP-SFM-02
		Resolution < 195	Resolution ≥ 195	Professional Judgment J/R	Professional Judgment UJ/R	SC	
SiO ₂ Standard	Performed daily, prior to sample analysis, at least 1 for every 20 sample analyses, and at end of each day of analysis	Performed daily, prior to sample analysis, at least 1 for every 20 sample analyses, and at end of each day of analysis	Frequency criteria not met	J	UJ	CX	SOP-SFM-02 Niton XL3 Soil QC Sheet
		Arsenic ≤10 mg/kg	>10 mg/kg	Results < 10x the SiO ₂ result - J+	No Qualification	B	
		Cadmium ≤50 mg/kg	>50 mg/kg				
		Copper ≤20 mg/kg	>20 mg/kg				
		Lead ≤10 mg/kg	>10 mg/kg				
		Mercury ≤10 mg/kg	>10 mg/kg				
Zinc ≤10 mg/kg	>10 mg/kg						
Calibration Check Samples	Performed daily, prior to sample analysis, at least 1 for every 20 sample analyses, and at end of each day of analysis	Performed daily, prior to sample analysis, at least 1 for every 20 sample analyses, and at end of each day of analysis	Frequency criteria not met	J	UJ	CX	SOP-SFM-02 Niton XL3 Soil QC Sheet
		NIST Standard	Arsenic 0 - 35 mg/kg	< Lower Control Limit	J-	UJ	
			Cadmium 0 - 60 mg/kg				
			Copper 0 - 60 mg/kg				
		RCRA Standard	Lead 0 - 35 mg/kg	> Upper Control Limit	J+	No Qualification	
			Mercury 0 - 12 mg/kg				
Zinc 50 - 160 mg/kg							
XRF Duplicate	1 per 20 samples	RPD ≤ 35% for detected results	Frequency criteria not met	J	UJ	DX	SOP-SFM-02 UR QAPP
			RPD ≤ 35%	No Qualification	No Qualification	D%	
			RPD > 35%	J	UJ		
XRF Replicate	1 per 20 samples	RPD ≤ 35% for detected results	Frequency criteria not met	J	UJ	RX	SOP-SFM-02 UR QAPP
			RPD ≤ 35%	No Qualification	No Qualification	R%	
			RPD > 35%	J	UJ		
Field Duplicate	1 per 20 samples	RPD ≤ 35% for detected results	Frequency criteria not met	J	UJ	FDX	UR QAPP
			RPD ≤ 35%	No Qualification	No Qualification	FD	
			RPD > 35%	J	UJ		

Laboratory							
Quality Control	Frequency	Acceptance Criteria	Criteria	Data Validation Action			Reference
				Associated Sample Result -Detected	Associated Sample Result - Non-Detected	Reason Code	
Laboratory Quality Control Samples							
Holding Time	Every Sample	EPA 6010D (metals/metalloids)	≤ 6 months	J-	Professional Judgement UJ or R	H	NFG
		EPA 7471B (mercury)	≤ 28 days	J-	Professional Judgement UJ or R		
Preservation	Every Sample	EPA 6010D (metals/metalloids)	N/A (solids)	No Qualification	No Qualification	Pres	NFG
		EPA 7471B (mercury)	≤ 6 °C	No Qualification	No Qualification		
			≥ 6 °C but ≤ 10 °C	Professional Judgement J	Professional Judgement UJ		
			> 10 °C	J-	Professional Judgement UJ or R		
Method Blank (MB)	One per batch of up to 20 samples.	≤ 1/2 RL (6010D) ≤ Absolute Value of RL (7471B)	≤ 1/2 RL (6010D) or Absolute Value of RL (7471B)	No Qualification	No Qualification	MB	CFRSSI QAPP Pace SOP
			> 1/2 RL (6010D) or Absolute Value of RL (7471B)	sample result < 10x blank detection: U	No Qualification		
Laboratory Control Sample (LCS)	One per batch of up to 20 samples.	%R 80-120% (all methods)	%R < 40%	J-	R	L%	CFRSSI QAPP NFG Pace SOP
			%R 40-79%	J-	UJ		
			%R 80-120%	No Qualification	No Qualification		
			%R > 120%	J+	No Qualification		
			%R > 150%	R	No Qualification		
Laboratory Duplicate Sample (LDS) ³	One per batch of up to 20 samples.	All methods: 1. If both original sample and duplicate sample results are ≥ 5x the RL, then RPD ≤ 20% (LCSD/MSD), RPD ≤ 35% (soil); 2. If original sample or duplicate sample result < 5x the RL, then absolute difference between sample and duplicate ≤ 2x RL (soils)	Both original and duplicate sample results are ≥ 5x the RL and RPD ≤ 20% (LCSD/MSD), RPD ≤ 35% (soil).	No Qualification	No Qualification	D%	CFRSSI QAPP NFG Pace SOP
			Both original and duplicate sample results are ≥ 5x the RL and RPD is > 20% (LCSD/MSD), > 35% (soil).	J	UJ		
			RPD > 100%	Professional Judgement	Professional Judgement		
			Original sample or duplicate sample result < 5x the RL, and absolute difference between sample and duplicate ≤ 2x RL (soils)	No Qualification	No Qualification		
			Original sample or duplicate sample result is < 5x the RL and absolute difference between the sample and duplicate > 2x RL (soil).	J	UJ		
Laboratory Matrix Spike (LMS)	One per batch of up to 20 samples.	6010D - %R 75-125% 7471B - %R 80-120% if sample analyte concentration < 4x spike concentration	%R < 30%	J-	R	S%	CFRSSI QAPP NFG Pace SOP
			%R 30-74% (6010D) %R 30-79% (7471B)	J-	UJ		
			%R 75-125% (6010D) %R 80-120% (7471B)	No Qualification	No Qualification		
			%R >125% (6010D) %R >120% (7471B)	J+	No Qualification		
			sample analyte concentration ≥ 4x spike concentration	No Qualification	No Qualification		

Field Quality Control Samples							
Field Duplicate Sample	One per 20 samples collected.	All methods: 1. If both original sample and duplicate sample results are $\geq 5x$ the RL, RPD $\leq 35\%$ (soil); 2. If original sample or duplicate sample result $< 5x$ the RL, then absolute difference between sample and duplicate $\leq 2x$ RL (soils)	Both original and duplicate sample results are $\geq 5x$ the RL and RPD $\leq 35\%$ (soil).	No Qualification	No Qualification	FD	CFRSSI QAPP NFG
			Both original and duplicate sample results are $\geq 5x$ the RL and RPD is $> 35\%$ (soil).	J	UJ		
			RPD $> 100\%$	Professional Judgement	Professional Judgement		
			Original sample or duplicate sample result $< 5x$ the RL, and absolute difference between sample and duplicate $\leq 2xRL$ (soils)	No Qualification	No Qualification		
			Original sample or duplicate sample result is $< 5x$ the RL and absolute difference between the sample and duplicate $> 2xRL$ (soil).	J	UJ		

Notes:

- Associated sample results:
 - For Field Blank results that do not meet technical criteria, apply action to all samples in the SDG.
 - For Field Duplicate results that do not meet technical criteria, apply action to field duplicate pair and any samples from the same sample location in the SDG.
 - For MB and LCS results that do not meet technical criteria, apply action to all samples in the analytical batch.
 - For LDS or LMS/MSD results that do not meet technical criteria, apply action to the parent sample and, per the NFG, "apply the action to all samples of the same matrix if the samples are considered sufficiently similar."
 - For holding time and preservation that do not meet technical criteria, apply action to sample.
- For consistency in validations between validators, if a sample result is reported as non-detect, the MDL is used for the duplicate absolute difference calculations.
- An LCS, an LMS, or an original sample may all be used to perform a laboratory duplicate. If a LCS Duplicate or LMS Duplicate is used, the QC sample must also meet the applicable %R technical criteria.

Qualifications:

- U - Non-detect
- UJ - Estimated non-detect
- J - Estimated

- J+ - Estimated high
- J- - Estimated low
- R - Rejected

Abbreviations:

- MDL - method detection limit
- RL - reporting limit
- %R - percent recovery
- RPD - relative percent difference

References:

- CFRSSI QAPP - ARCO, 1992. Clark Fork River Superfund Site Investigations (CFRSSI) Quality Assurance Project Plan (QAPP). Prepared for ARCO by PTI Environmental Services, Bellevue, Washington. May 1992.
- NFG - EPA, 2020. National Functional Guidelines for Inorganic Superfund Methods Data Review. November 2020.
- Available at EPA's Superfund Analytical Services and Contract Laboratory Program website: <https://www.epa.gov/clp/contract-laboratory-program-national-functional-guidelines-data-review>
- SOP-SFM-02 - Operating XL3-X-Ray Fluorescence Analyzer General. Pioneer Technical Services, Inc. January 2018.
- UR QAPP - Silver Bow Creek/Butte Area NPL Site Butte Priority Soils Operable Unit 2022 Final Unrelaimed Sites Quality Assurance Project Plan (QAPP). Prepared for Atlantic Richfield Company by Pioneer Technical Services, Inc, Butte, Montana. June 2021.
- Niton XL3 Soil QC Sheet - Niton XL3 Soil QC Certificate of Calibration. Thermo Fisher Scientific. June 2014.

Pace SOP -

- EPA 6010D - ENV-SOP-MIN4-0052: Metals Analysis by ICP - Method 6010 and 200.7
- EPA 7471B - ENV-SOP-MIN4-0054: Mercury in Liquid and Solid/Semi-Solid Waste by 7470A, 7471, 7471B, and 245.1

Attachment B
Field Forms and Related Documents

9/7/21 Tues.
 Ran XRF. Lab split submitted
 due to $\pm 35\%$ Reg. As, Cd, Cu, Pb,
 Zn, & Hg by 601072421.

All data collected on PDS +
 electronically. See report for
 sampling details

11:00] Dave Swanson EPA
 rep on site. Ran through
 Opportunistic Sampling Logic
 w/ Dave + statistical w/
 approach + amount of
 Data collected for the
 site. UR40 site sampling
 complete.

1300] On site @ Pauat
 to Rep + Ship samples.
 Shipped all samples
 collected from UR-24 +
 UR40. Two COCs. (324)
 in same cooler Fed Ex
 overnight Tracking: 4278 9935 1714

14:00] Began initial site
 walk through @ UR-36.

Staked out sample locations
 + began digging holes.
 Will collect samples +

9/7/21 Tues

Time in prep for XRF
 Analysis to be Ran tomorrow
 9/8/21.

Below is Summary of
 Sites collected/Characterized @ US
 Again. Samples were collected³⁶
 today 9/7/21 + XRF will
 be Ran 9/8/21 to determine
 if lab splits will need
 to be split

SS-01 Sample location 1

BPSOU-UR365501-090721-1 @ 15:10
 BPSOU-UR365501-090721-2 @ 15:05
 BPSOU-UR365501-090721-3 @ 15:00

SS-02 Sample location 2

BPSOU-UR365502-090721-1 @ 15:20
 BPSOU-UR365502-090721-2 @ 15:15
 BPSOU-UR365502-090721-3 @ 15:10

SS-03 Sample location 3

BPSOU-UR365503-090721-1 @ 15:35
 BPSOU-UR365503-090721-2 @ 15:30
 BPSOU-UR365503-090721-3 @ 15:25

SS-04 Sample location 4

BPSOU-UR365504-090721-1 @ 16:10
 BPSOU-UR365504-090721-1 - FD @ 16:15
 BPSOU-UR365504-090721-2 @ 16:05
 BPSOU-UR365504-090721-3 @ 16:00
Note in the Rain

9/7/21 Tues.

Samples were collected per procedures on pg 2+3. Samples preserved per pg 4 astel sample was split into lab portion and XRF Seive portion, XRF analysis was not performed on Seived material. XRF analysis will be performed on 9/8/21.

All decon was performed per pg. 3+4. Back @ Pausat + done sampling for the day @ 16:30

Field Sampling crew for the day was Cole D, Jesse S., Molly S., Mathews

Mathews
9/7/21

9/8/21 Wed.

0630] On site @ Pausat to Calibrate Equip + Go through Safety. Sample Crew: Cole D, Jesse S, Molly S, Mathews Hannah pH probe (HI99121)
Cool check Verified

Live Reading	Buffer
3.93 @ 18.3°C	4.0°
6.93 @ 18.2°C	7.0
9.93 @ 18.1°C	10.0

All readings within 0.1
0730] Setting up XRF to run samples collected @ UK-36 yesterday afternoon listed on pg 35 to determine if lab confirmation is necessary. Also continuing site investigation on remaining locations @ UK-36.

Below is a list of the lab splits that will need to be submitted for analysis due to either $\pm 35\%$ criteria or Lin 10 confirmation.

All in 10 + 20 lock bag for total metals As, Cd, Cu, Pb, Zn, + Hg by 6010/17471. XRF results are recorded electronically + on PDS

BPS02-UK365501-090721-1 @ 15:10

38 9/8/21 Wed

- $\pm 35\%$ COC As for Commercial
Action Level

[BPSOU-UR36SS01-090721-2] @ 15:05

- $\pm 35\%$ As for Commercial Action Level

[BPSOU-UR36SS02-090721-1] @ 15:20

$\pm 35\%$ for Storm Water COCs

Note: All intervals from SS03

Well above Action Level for

Commercial As. Greater than

35% above action level

so no need for lab confirmation

[BPSOU-UR36SS04-090721-1] @ 16:10

$\pm 35\%$ for Storm Water COCs + L in 10

[BPSOU-UR36SS04-090721-~~1~~2] @ 16:15

Field Duplicate per 1 in sampling

event Requirement. Parent

Sample = BPSOU-UR36SS04-090721-1

[BPSOU-UR36SS04-090721-2] @ 16:05

$\pm 35\%$ for Storm Water COCs

[BPSOU-UR36SS04-090721-3] @ 16:00

$\pm 35\%$ for storm water COCs

Continued sampling remainder

of sites @ UR-36. Sampled

per procedures on pg. 2 + 3

+ summarized below for

each site.

9/8/21 Wed.

SS05 - Sample location 5

[BPSOU-UR36SS05-090821-1] @ 8:10

Ran YRF. $\pm 35\%$ Criteria for Storm

water COCs. Lab split submitted

for Hg, Cd, Cu, Pb, Zn, Hg by 606/747

[BPSOU-UR36SS05-090821-2] @ 8:05

Ran YRF. Lab Req. Per $\pm 35\%$ Storm

water COC.

[BPSOU-UR36SS05-090821-3] @ 8:00

Ran YRF. Lab Req. Per Storm Water COC

SS06 Sample location 6

Area Sub sample holes dug more

linear to capture sediment

eroding from upgradient slope.

[BPSOU-UR36SS06-090821-~~1~~2] @ 8:10

Ran YRF. Lab Req. Per Storm Water COC

[BPSOU-UR36SS06-090821-2] @ 8:05

Ran YRF. Lab Req. Per Storm Water COC

[BPSOU-UR36SS06-090821-3] @ 8:00

Ran YRF. Lab Req. Per Storm Water

COC.

OP01 - Opportunistic Area 1. Bare

area along NE corner of site

Sample per Agency Request

to capture spatial representation

in that area of the site.

9/8/21 Wed

BPSOU-UR360P01-090821-1 @ 8:20

Ran XRF. Lab Reg Per Storm Water Col

BPSOU-UR360P01-090821-2 @ 8:45

Ran XRF, Lab Reg Per Storm Water Col

BPSOU-UR360P01-090821-3 @ 8:50

Ran XRF. Lab Reg Per Storm Water Col

Completed UR-36 Site Characterization.

~~9:30~~ ^{9:30} On site @ UR35 to

Characterize site. Sample

Location SS01 on the northern position of site will not be able to be sample due

to no access from landowner.

Was approved to proceed &

collect data that is obtainable from other AR + BSB owned

positions of the site. Added

Sample location OPO1 to

gain spatial representativeness.

Samples collected per pg. 2 + 3

& summarized below.

- SS02 Sample location 2

BPSOU-UR355S02-090821-1 @ 10:30

Ran XRF. Submitted lab due to

to 35% for Pb residential Action Level

BPSOU-UR355S02-090821-2 @ 10:25

9/8/21 Wed.

Ran XRF. Lab per 1 is 10

BPSOU-UR355S02-090821-2 (FAP)

10:20. Field Duplicate per event

Reg. Parent sample \rightarrow BPSOU-UR355S02-090821-2BPSOU-UR355S02-090821-3 @ 10:15

Ran XRF. No lab Reg. Well above

Residential Action Level for Pb.

SS03 Sample location 3

BPSOU-UR355S03-090821-1 @ 10:10

Ran XRF. Well above Res Action for Pb

BPSOU-UR355S03-090821-2 @ 10:05

Ran XRF. Submitted lab even tho

well above levels for Pb + Zn

to help w/ XRF Correlation to

have data points on that end

of the curve.

BPSOU-UR355S03-090821-3 @ 10:00

Ran XRF. Well above Res Action Level Pb

OPO1 Opportunistic location 1

BPSOU-UR350P01-090821-1 @ 10:05

Ran XRF. Well above Pb Res Action Level

BPSOU-UR350P01-090821-2 @ 10:00

Ran XRF. Well above Action Levels for Pb

but submitted for lab to find NO lab

XRF correlation for COES w/ exceeding

CJP

Rite in the Rain

BPSOU: Unreclaimed Sites Field XRF and Soil pH Results

Site Number: 36 Operator: JS, MS, CD, MS
 Land Use: Commercial XRF Unit #: ~~02951~~ 98052
 pH probe #: 1
*Reference 2021 UR Confirmation Sample Decision Tree for more information on declaring the need for a confirmation sample.

Soil Action/Screening Levels (mg/kg)						
Residential	250		1,200			10
Non-Residential			2,300			
Recreational	1,000					
Commercial	500					
Storm Water	200	20	1000	1000	1000	10

XRF Reading #	Sample Name	Depth (inches)	Soil pH (s.u.)	Date Collected	Time Collected	Date Analysed	XRF Results (mg/kg)						Lab Sample	
							As	Cd	Cu	Pb	Zn	Hg		
445	BPSOU-UR36 System Check			Time: 56.1 sec		Res: 173.0								
446	BPSOU-UR36 SiO ₂						(3)	(14)	<12	<3	<6	<5		-
447	BPSOU-UR36 SiO ₂						<3	(14)	<12	<3	<6	<5		-
448	BPSOU-UR36 NIST						13	11	26	11	84	<6		-
449	BPSOU-UR36 USGS						68	19	210	(788)	(700)	<7		-
450	BPSOU-UR36 PCB/A						481	508	16	482	43	<7		-
	BPSOU-UR36 New standards from			9/2/21										
451	BPSOU-UR36 SiO ₂						<3	9	<12	<4	<6	<5		-
452	BPSOU-UR36 Change batt & system check			Time: 56.1 sec		Res: 173.3								
453	BPSOU-UR36 SiO ₂						(3)	(11)	<12	<4	<5	<5		-
454	BPSOU-UR36 USGS						72	18	221	(789)	(84)	<7		-
455	BPSOU-UR36 NIST						14	(13)	28	12	84	<6		-
456	BPSOU-UR36 PCB/A						(472)	518	25	480	49	<7		-
457	BPSOU-UR36 SiO ₂						<3	9	<12	<3	<5	<5		-
458	BPSOU-UR36 SS01-090721-1	0-2	3.42	9/7/21	1570	9/8/21	510	<8	1369	873	1368	<9		-
459	BPSOU-UR36 SiO ₂						<3	13	<11	<3	<5	<5		-
460	BPSOU-UR36 USGS						(88)	(21)	(233)	797	(738)	<700		-
	BPSOU-UR36						Date + time on unit wrong. Updated. Will begin w/ system							
	BPSOU-UR36						check + then Run Blank + standards.							
461	BPSOU-UR36 System Check			Time: 56.1		Res: 169.2								
462	BPSOU-UR36 SiO ₂					9/8/21	<3	7	<11	<4	<6	<5		-
463	BPSOU-UR36 NIST					9/8/21	12	9	36	15	96	<6		-

* Sample SS01-090721-1 will be ran again after Date + time update. Discard results from XRF Reading # 458.

BPSOU: Unreclaimed Sites Field XRF and Soil pH Results

Site Number: 36 Operator: JS, MS, CD, MS
 Land Use: Commercial XRF Unit #: 02951-98052
 pH probe #: 1
*Reference 2021 UR Confirmation Sample Decision Tree for more information on declaring the need for a confirmation sample.

Soil Action/Screening Levels (mg/kg)						
Residential	250			1,200		10
Non-Residential				2,300		
Recreational	1,000					
Commercial	500					
Storm Water	200	20	1000	1000	1000	10

XRF Reading #	Sample Name	Depth (inches)	Soil pH (s.u.)	Date Collected	Time Collected	Date Analysed	XRF Results (mg/kg)						Lab Sample
							As	Cd	Cu	Pb	Zn	Hg	
464	BPSOU-UR36 RCRA					9/8/21	507	514	19	490	46	L7	-
465	BPSOU-UR36 USGS-Solar-M2					9/8/21	80	17	223	790	706	L7	
466	BPSOU-UR36SS01-090721-1	0-2	3.42	9/7/21	15:10	9/8/21	518	28	1439	755	1542	L9	Yes
467	BPSOU-UR36SS01-090721-2	2-6	3.27	9/7/21	15:05	9/8/21	480	8	1065	833	899	L9	Yes
468	BPSOU-UR36SS01-090721-3	6-12	2.74	9/7/21	15:00	9/8/21	761*	28	650	597	561	L8	-
469	BPSOU-UR36SS02-090721-1	0-2	4.66	9/7/21	15:20	9/8/21	(193)	9	(1092)	375	(718)	(28)	Yes
470	BPSOU-UR36SS02-090721-2	2-6	4.98	9/7/21	15:15	9/8/21	(155)	L7	481	402	599	(L7)	-
471	BPSOU-UR36SS02-090721-3	6-12	5.30	9/7/21	15:10	9/8/21	76	9	517	355	519	L7	-
472	BPSOU-UR36SS03-090721-1	0-2	2.45	9/7/21	15:35	9/8/21	784*	L9	1145	481	382	L10	-
473	BPSOU-UR36SS03-090721-2	2-6	2.41	9/7/21	15:30	9/8/21	824*	L9	901	495	386	L11	-
474	BPSOU-UR36SS03-090721-3	6-12	2.34	9/7/21	15:25	9/8/21	842*	L9	981	462	377	L10	-
475	BPSOU-UR36SS04-090721-1	0-2	4.27	9/7/21	16:10	9/8/21	113	L8	1139	558	2390	L9	Yes
476	BPSOU-UR36SS04-090721-1-FD	0-2	4.36	9/7/21	16:15	9/8/21	128	L8	(1098)	487	(276)	(L9)	Yes
477	BPSOU-UR36SS04-090721-2	2-6	3.82	9/7/21	16:05	9/8/21	121	11	(962)	426	(266)	(L9)	Yes
478	BPSOU-UR36SS04-090721-3	6-12	4.10	9/7/21	16:00	9/8/21	103	9	(1330)	481	(1864)	(L8)	Yes
479	BPSOU-UR36SS05-090821-1	0-2	4.93	9/8/21	8:10	9/8/21	(262)	(14)	(1044)	(938)	(1619)	(L9)	Yes
480	BPSOU-UR36SS05-090821-2	2-6	4.96	9/8/21	8:05	9/8/21	(156)	10	(1187)	(725)	(1896)	(L9)	Yes
481	BPSOU-UR36SS05-090821-3	6-12	5.06	9/8/21	8:00	9/8/21	(150)	(13)	(1149)	648	(3399)	(L9)	Yes
482	BPSOU-UR36SS06-090821-1	0-2	6.12	9/8/21	8:10	9/8/21	(175)	(14)	(3190)	(1278)	(8077)	(L21)	Yes
483	BPSOU-UR36SS06-090821-2	2-6	6.11	9/8/21	8:05	9/8/21	115	L9	(1574)	(368)	(3813)	(L13)	Yes
484	BPSOU-UR36SS00-090821-3	6-12	5.34	9/8/21	8:00	9/8/21	109	L8	(1003)	(1051)	(3099)	(L11)	Yes
485	^{CSD} BPSOU-UR36SS01-090821-1	0-2	5.91	9/8/21	8:20	9/8/21	(161)	L8	(1013)	373	(1893)	(L9)	Yes

→ Note ID in XRF Says BPSOU-UR5506-090821-11*

Attachment C
Laboratory Data Packages

September 21, 2021

Scott Sampson
Pioneer Technical Services
1101 S. Montana Street
Butte, MT 59701

RE: Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Dear Scott Sampson:

Enclosed are the analytical results for sample(s) received by the laboratory on September 09, 2021. The results relate only to the samples included in this report. Results contained within this report conform to the most current version of the TNI standards, BP LaMP Technical Requirements Revision 12.1, and any applicable Quality Assurance Project Plan (QAPP), or Work Plan unless otherwise narrated in the body of this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Anderson
jennifer.anderson@pacelabs.com
(612)607-6436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

A2LA Certification #: 2926.01*

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10578145001	BPSOU-UR36SS01-090721-1	Solid	09/07/21 15:10	09/09/21 09:55
10578145002	BPSOU-UR36SS01-090721-2	Solid	09/07/21 15:05	09/09/21 09:55
10578145003	BPSOU-UR36SS02-090721-1	Solid	09/07/21 15:20	09/09/21 09:55
10578145004	BPSOU-UR36SS04-090721-1	Solid	09/07/21 16:10	09/09/21 09:55
10578145005	BPSOU-UR36SS04-090721-1-FD	Solid	09/07/21 16:15	09/09/21 09:55
10578145006	BPSOU-UR36SS04-090721-2	Solid	09/07/21 16:05	09/09/21 09:55
10578145007	BPSOU-UR36SS04-090721-3	Solid	09/07/21 16:00	09/09/21 09:55
10578145008	BPSOU-UR36SS05-090821-1	Solid	09/08/21 08:10	09/09/21 09:55
10578145009	BPSOU-UR36SS05-090821-2	Solid	09/08/21 08:05	09/09/21 09:55
10578145010	BPSOU-UR36SS05-090821-3	Solid	09/08/21 08:00	09/09/21 09:55
10578145011	BPSOU-UR36SS06-090821-1	Solid	09/08/21 08:10	09/09/21 09:55
10578145012	BPSOU-UR36SS06-090821-2	Solid	09/08/21 08:05	09/09/21 09:55
10578145013	BPSOU-UR36SS06-090821-3	Solid	09/08/21 08:00	09/09/21 09:55
10578145014	BPSOU-UR36OP01-090821-1	Solid	09/08/21 08:20	09/09/21 09:55
10578145015	BPSOU-UR36OP01-090821-2	Solid	09/08/21 08:15	09/09/21 09:55
10578145016	BPSOU-UR36OP01-090821-3	Solid	09/08/21 08:10	09/09/21 09:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10578145001	BPSOU-UR36SS01-090721-1	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145002	BPSOU-UR36SS01-090721-2	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145003	BPSOU-UR36SS02-090721-1	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145004	BPSOU-UR36SS04-090721-1	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145005	BPSOU-UR36SS04-090721-1-FD	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145006	BPSOU-UR36SS04-090721-2	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145007	BPSOU-UR36SS04-090721-3	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145008	BPSOU-UR36SS05-090821-1	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145009	BPSOU-UR36SS05-090821-2	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145010	BPSOU-UR36SS05-090821-3	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145011	BPSOU-UR36SS06-090821-1	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145012	BPSOU-UR36SS06-090821-2	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145013	BPSOU-UR36SS06-090821-3	EPA 6010D	IP	5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10578145014	BPSOU-UR36OP01-090821-1	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
		EPA 6010D	IP	5
		EPA 7471B	LMW	1
10578145015	BPSOU-UR36OP01-090821-2	ASTM D2974	JDL	1
		EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10578145016	BPSOU-UR36OP01-090821-3	EPA 6010D	IP	5
		EPA 7471B	LMW	1
		ASTM D2974	JDL	1
		EPA 6010D	IP	5

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Method: EPA 6010D

Description: 6010D MET ICP

Client: BPAR-PIONEER-MT

Date: September 21, 2021

General Information:

16 samples were analyzed for EPA 6010D by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 769642

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10578145001

P6: Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

- MS (Lab ID: 4101090)
 - Arsenic
 - Copper
 - Lead
 - Zinc
- MSD (Lab ID: 4101091)
 - Arsenic
 - Copper
 - Lead
 - Zinc

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Method: EPA 7471B

Description: 7471B Mercury

Client: BPAR-PIONEER-MT

Date: September 21, 2021

General Information:

16 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS01-090721-1 **Lab ID:** 10578145001 **Collected:** 09/07/21 15:10 **Received:** 09/09/21 09:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	437	mg/kg	1.0	0.15	1	09/13/21 14:08	09/20/21 12:54	7440-38-2	P6
Cadmium	3.2	mg/kg	0.15	0.034	1	09/13/21 14:08	09/20/21 12:54	7440-43-9	P6
Copper	1270	mg/kg	0.50	0.073	1	09/13/21 14:08	09/20/21 12:54	7440-50-8	P6
Lead	686	mg/kg	0.50	0.10	1	09/13/21 14:08	09/20/21 12:54	7439-92-1	P6
Zinc	1120	mg/kg	2.0	0.22	1	09/13/21 14:08	09/20/21 12:54	7440-66-6	P6
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.17	mg/kg	0.021	0.0090	1	09/14/21 15:30	09/20/21 11:46	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	4.0	%	0.10	0.10	1		09/13/21 13:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS01-090721-2 **Lab ID:** 10578145002 Collected: 09/07/21 15:05 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	401	mg/kg	1.1	0.16	1	09/13/21 14:08	09/20/21 13:02	7440-38-2	
Cadmium	1.8	mg/kg	0.16	0.036	1	09/13/21 14:08	09/20/21 13:02	7440-43-9	
Copper	843	mg/kg	0.53	0.077	1	09/13/21 14:08	09/20/21 13:02	7440-50-8	
Lead	824	mg/kg	0.53	0.11	1	09/13/21 14:08	09/20/21 13:02	7439-92-1	
Zinc	637	mg/kg	2.1	0.23	1	09/13/21 14:08	09/20/21 13:02	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.31	mg/kg	0.021	0.0091	1	09/14/21 15:30	09/20/21 11:51	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	7.7	%	0.10	0.10	1		09/13/21 13:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Sample: BPSOU-UR36SS02-090721-1 **Lab ID:** 10578145003 Collected: 09/07/21 15:20 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	153	mg/kg	1.0	0.16	1	09/13/21 14:08	09/20/21 13:04	7440-38-2	
Cadmium	0.50	mg/kg	0.16	0.035	1	09/13/21 14:08	09/20/21 13:04	7440-43-9	
Copper	719	mg/kg	0.52	0.076	1	09/13/21 14:08	09/20/21 13:04	7440-50-8	
Lead	249	mg/kg	0.52	0.11	1	09/13/21 14:08	09/20/21 13:04	7439-92-1	
Zinc	345	mg/kg	2.1	0.23	1	09/13/21 14:08	09/20/21 13:04	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.13	mg/kg	0.020	0.0088	1	09/14/21 15:30	09/20/21 11:52	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	4.3	%	0.10	0.10	1		09/13/21 13:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS04-090721-1 **Lab ID:** 10578145004 Collected: 09/07/21 16:10 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	90.9	mg/kg	1.0	0.15	1	09/13/21 14:08	09/20/21 13:05	7440-38-2	
Cadmium	2.4	mg/kg	0.15	0.034	1	09/13/21 14:08	09/20/21 13:05	7440-43-9	
Copper	963	mg/kg	0.50	0.074	1	09/13/21 14:08	09/20/21 13:05	7440-50-8	
Lead	445	mg/kg	0.50	0.10	1	09/13/21 14:08	09/20/21 13:05	7439-92-1	
Zinc	1420	mg/kg	2.0	0.22	1	09/13/21 14:08	09/20/21 13:05	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.13	mg/kg	0.019	0.0084	1	09/14/21 15:30	09/20/21 11:54	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	2.7	%	0.10	0.10	1		09/13/21 13:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS04-090721-1-FD **Lab ID:** 10578145005 Collected: 09/07/21 16:15 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	80.2	mg/kg	1.0	0.16	1	09/13/21 14:08	09/20/21 13:07	7440-38-2	
Cadmium	2.2	mg/kg	0.15	0.035	1	09/13/21 14:08	09/20/21 13:07	7440-43-9	
Copper	863	mg/kg	0.51	0.075	1	09/13/21 14:08	09/20/21 13:07	7440-50-8	
Lead	387	mg/kg	0.51	0.10	1	09/13/21 14:08	09/20/21 13:07	7439-92-1	
Zinc	1300	mg/kg	2.0	0.23	1	09/13/21 14:08	09/20/21 13:07	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.22	mg/kg	0.019	0.0084	1	09/14/21 15:30	09/20/21 11:56	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	2.9	%	0.10	0.10	1		09/13/21 13:04		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS04-090721-2 **Lab ID:** 10578145006 Collected: 09/07/21 16:05 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	89.8	mg/kg	1.1	0.17	1	09/13/21 14:08	09/20/21 13:09	7440-38-2	
Cadmium	1.9	mg/kg	0.17	0.038	1	09/13/21 14:08	09/20/21 13:09	7440-43-9	
Copper	794	mg/kg	0.55	0.081	1	09/13/21 14:08	09/20/21 13:09	7440-50-8	
Lead	463	mg/kg	0.55	0.11	1	09/13/21 14:08	09/20/21 13:09	7439-92-1	
Zinc	1120	mg/kg	2.2	0.25	1	09/13/21 14:08	09/20/21 13:09	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.12	mg/kg	0.020	0.0088	1	09/14/21 15:30	09/20/21 11:57	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	10.4	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS04-090721-3 **Lab ID:** 10578145007 **Collected:** 09/07/21 16:00 **Received:** 09/09/21 09:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	202	mg/kg	1.1	0.16	1	09/13/21 14:08	09/20/21 13:16	7440-38-2	
Cadmium	4.7	mg/kg	0.16	0.037	1	09/13/21 14:08	09/20/21 13:16	7440-43-9	
Copper	1090	mg/kg	0.54	0.079	1	09/13/21 14:08	09/20/21 13:16	7440-50-8	
Lead	476	mg/kg	0.54	0.11	1	09/13/21 14:08	09/20/21 13:16	7439-92-1	
Zinc	1100	mg/kg	2.2	0.24	1	09/13/21 14:08	09/20/21 13:16	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.17	mg/kg	0.021	0.0092	1	09/14/21 15:30	09/20/21 12:02	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	9.1	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS05-090821-1 **Lab ID:** 10578145008 Collected: 09/08/21 08:10 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	106	mg/kg	1.0	0.15	1	09/13/21 14:08	09/20/21 13:18	7440-38-2	
Cadmium	2.1	mg/kg	0.15	0.034	1	09/13/21 14:08	09/20/21 13:18	7440-43-9	
Copper	723	mg/kg	0.50	0.074	1	09/13/21 14:08	09/20/21 13:18	7440-50-8	
Lead	613	mg/kg	0.50	0.10	1	09/13/21 14:08	09/20/21 13:18	7439-92-1	
Zinc	1140	mg/kg	2.0	0.23	1	09/13/21 14:08	09/20/21 13:18	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.15	mg/kg	0.021	0.0089	1	09/14/21 15:30	09/20/21 12:04	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	2.9	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS05-090821-2 **Lab ID:** 10578145009 Collected: 09/08/21 08:05 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	119	mg/kg	5.3	0.81	5	09/13/21 14:08	09/20/21 13:42	7440-38-2	
Cadmium	5.2	mg/kg	0.80	0.18	5	09/13/21 14:08	09/20/21 13:42	7440-43-9	
Copper	978	mg/kg	2.7	0.39	5	09/13/21 14:08	09/20/21 13:42	7440-50-8	
Lead	1020	mg/kg	2.7	0.55	5	09/13/21 14:08	09/20/21 13:42	7439-92-1	
Zinc	1990	mg/kg	10.6	1.2	5	09/13/21 14:08	09/20/21 13:42	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.45	mg/kg	0.021	0.0091	1	09/14/21 15:30	09/20/21 12:05	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	7.6	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS05-090821-3 **Lab ID:** 10578145010 Collected: 09/08/21 08:00 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	108	mg/kg	5.4	0.82	5	09/13/21 14:08	09/20/21 13:43	7440-38-2	
Cadmium	7.7	mg/kg	0.81	0.18	5	09/13/21 14:08	09/20/21 13:43	7440-43-9	
Copper	851	mg/kg	2.7	0.39	5	09/13/21 14:08	09/20/21 13:43	7440-50-8	
Lead	766	mg/kg	2.7	0.55	5	09/13/21 14:08	09/20/21 13:43	7439-92-1	
Zinc	2970	mg/kg	10.8	1.2	5	09/13/21 14:08	09/20/21 13:43	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.61	mg/kg	0.021	0.0092	1	09/14/21 15:30	09/20/21 12:07	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	8.8	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36SS06-090821-1 **Lab ID:** 10578145011 Collected: 09/08/21 08:10 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	135	mg/kg	4.9	0.75	5	09/13/21 14:08	09/20/21 13:45	7440-38-2	
Cadmium	3.9	mg/kg	0.74	0.17	5	09/13/21 14:08	09/20/21 13:45	7440-43-9	
Copper	3370	mg/kg	2.5	0.36	5	09/13/21 14:08	09/20/21 13:45	7440-50-8	
Lead	960	mg/kg	2.5	0.51	5	09/13/21 14:08	09/20/21 13:45	7439-92-1	
Zinc	7490	mg/kg	9.8	1.1	5	09/13/21 14:08	09/20/21 13:45	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.058	mg/kg	0.020	0.0086	1	09/14/21 15:30	09/20/21 12:09	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	2.1	%	0.10	0.10	1		09/13/21 13:05		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Sample: BPSOU-UR36SS06-090821-2 **Lab ID:** 10578145012 **Collected:** 09/08/21 08:05 **Received:** 09/09/21 09:55 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	92.4	mg/kg	5.2	0.79	5	09/13/21 14:08	09/20/21 13:47	7440-38-2	
Cadmium	3.9	mg/kg	0.78	0.18	5	09/13/21 14:08	09/20/21 13:47	7440-43-9	
Copper	2100	mg/kg	2.6	0.38	5	09/13/21 14:08	09/20/21 13:47	7440-50-8	
Lead	1540	mg/kg	2.6	0.53	5	09/13/21 14:08	09/20/21 13:47	7439-92-1	
Zinc	4750	mg/kg	10.4	1.2	5	09/13/21 14:08	09/20/21 13:47	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.18	mg/kg	0.019	0.0083	1	09/14/21 15:30	09/20/21 12:10	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	5.5	%	0.10	0.10	1		09/13/21 13:06		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Sample: BPSOU-UR36SS06-090821-3 **Lab ID:** 10578145013 Collected: 09/08/21 08:00 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	68.2	mg/kg	5.2	0.79	5	09/13/21 14:08	09/20/21 13:48	7440-38-2	
Cadmium	4.1	mg/kg	0.78	0.18	5	09/13/21 14:08	09/20/21 13:48	7440-43-9	
Copper	1040	mg/kg	2.6	0.38	5	09/13/21 14:08	09/20/21 13:48	7440-50-8	
Lead	992	mg/kg	2.6	0.53	5	09/13/21 14:08	09/20/21 13:48	7439-92-1	
Zinc	3480	mg/kg	10.4	1.2	5	09/13/21 14:08	09/20/21 13:48	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.34	mg/kg	0.021	0.0090	1	09/14/21 15:30	09/20/21 12:12	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	6.5	%	0.10	0.10	1		09/13/21 13:06		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Sample: BPSOU-UR36OP01-090821-1 **Lab ID:** 10578145014 Collected: 09/08/21 08:20 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	143	mg/kg	4.9	0.75	5	09/13/21 14:08	09/20/21 13:50	7440-38-2	
Cadmium	2.9	mg/kg	0.74	0.17	5	09/13/21 14:08	09/20/21 13:50	7440-43-9	
Copper	850	mg/kg	2.5	0.36	5	09/13/21 14:08	09/20/21 13:50	7440-50-8	
Lead	647	mg/kg	2.5	0.51	5	09/13/21 14:08	09/20/21 13:50	7439-92-1	
Zinc	1780	mg/kg	9.8	1.1	5	09/13/21 14:08	09/20/21 13:50	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.18	mg/kg	0.019	0.0083	1	09/14/21 15:30	09/20/21 12:13	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	2.0	%	0.10	0.10	1		09/13/21 13:06		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Sample: BPSOU-UR36OP01-090821-2 **Lab ID:** 10578145015 Collected: 09/08/21 08:15 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	189	mg/kg	5.1	0.78	5	09/13/21 14:08	09/20/21 13:52	7440-38-2	
Cadmium	2.9	mg/kg	0.76	0.17	5	09/13/21 14:08	09/20/21 13:52	7440-43-9	
Copper	915	mg/kg	2.5	0.37	5	09/13/21 14:08	09/20/21 13:52	7440-50-8	
Lead	867	mg/kg	2.5	0.52	5	09/13/21 14:08	09/20/21 13:52	7439-92-1	
Zinc	1550	mg/kg	10.1	1.1	5	09/13/21 14:08	09/20/21 13:52	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.21	mg/kg	0.021	0.0093	1	09/14/21 15:30	09/20/21 12:15	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	6.9	%	0.10	0.10	1		09/13/21 13:06		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Sample: BPSOU-UR36OP01-090821-3 **Lab ID:** 10578145016 Collected: 09/08/21 08:10 Received: 09/09/21 09:55 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	130	mg/kg	0.99	0.15	1	09/13/21 14:08	09/20/21 13:31	7440-38-2	
Cadmium	2.3	mg/kg	0.15	0.034	1	09/13/21 14:08	09/20/21 13:31	7440-43-9	
Copper	790	mg/kg	0.50	0.073	1	09/13/21 14:08	09/20/21 13:31	7440-50-8	
Lead	285	mg/kg	0.50	0.10	1	09/13/21 14:08	09/20/21 13:31	7439-92-1	
Zinc	1020	mg/kg	2.0	0.22	1	09/13/21 14:08	09/20/21 13:31	7440-66-6	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.17	mg/kg	0.020	0.0087	1	09/14/21 15:30	09/20/21 12:17	7439-97-6	
Dry Weight / %M by ASTM D2974									
Analytical Method: ASTM D2974									
Pace Analytical Services - Minneapolis									
Percent Moisture	6.8	%	0.10	0.10	1		09/13/21 13:07		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

QC Batch:	769647	Analysis Method:	EPA 7471B
QC Batch Method:	EPA 7471B	Analysis Description:	7471B Mercury Solids
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 10578145001, 10578145002, 10578145003, 10578145004, 10578145005, 10578145006, 10578145007, 10578145008, 10578145009, 10578145010, 10578145011, 10578145012, 10578145013, 10578145014, 10578145015, 10578145016

METHOD BLANK: 4101108 Matrix: Solid
Associated Lab Samples: 10578145001, 10578145002, 10578145003, 10578145004, 10578145005, 10578145006, 10578145007, 10578145008, 10578145009, 10578145010, 10578145011, 10578145012, 10578145013, 10578145014, 10578145015, 10578145016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0084	0.019	0.0084	09/20/21 11:43	

LABORATORY CONTROL SAMPLE: 4101109

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.5	0.53	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4101110 4101111

Parameter	Units	10578145001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.17	0.5	0.5	0.70	0.67	105	98	80-120	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

QC Batch:	769642	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3050B	Analysis Description:	6010D Solids
		Laboratory:	Pace Analytical Services - Minneapolis
Associated Lab Samples:	10578145001, 10578145002, 10578145003, 10578145004, 10578145005, 10578145006, 10578145007, 10578145008, 10578145009, 10578145010, 10578145011, 10578145012, 10578145013, 10578145014, 10578145015, 10578145016		

METHOD BLANK:	4101088	Matrix:	Solid
Associated Lab Samples:	10578145001, 10578145002, 10578145003, 10578145004, 10578145005, 10578145006, 10578145007, 10578145008, 10578145009, 10578145010, 10578145011, 10578145012, 10578145013, 10578145014, 10578145015, 10578145016		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.15	1.0	0.15	09/20/21 12:47	
Cadmium	mg/kg	<0.034	0.15	0.034	09/20/21 12:47	
Copper	mg/kg	0.11J	0.50	0.073	09/20/21 12:47	
Lead	mg/kg	<0.10	0.50	0.10	09/20/21 12:47	
Zinc	mg/kg	0.24J	2.0	0.22	09/20/21 12:47	

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	49.5	48.9	99	80-120	
Cadmium	mg/kg	49.5	50.1	101	80-120	
Copper	mg/kg	49.5	49.5	100	80-120	
Lead	mg/kg	49.5	48.6	98	80-120	
Zinc	mg/kg	49.5	49.0	99	80-120	

Parameter	Units	4101090		4101091		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10578145001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Arsenic	mg/kg	437	50.1	50.1	546	539	217	203	75-125	1	20 P6
Cadmium	mg/kg	3.2	50.1	50.1	44.5	44.2	82	82	75-125	1	20
Copper	mg/kg	1270	50.1	50.1	1410	1240	267	-70	75-125	13	20 P6
Lead	mg/kg	686	50.1	50.1	813	758	253	145	75-125	7	20 P6
Zinc	mg/kg	1120	50.1	50.1	1140	1100	45	-37	75-125	4	20 P6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

QC Batch:	769637	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight / %M by ASTM D2974
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 10578145001, 10578145002, 10578145003, 10578145004, 10578145005, 10578145006, 10578145007, 10578145008, 10578145009, 10578145010, 10578145011, 10578145012, 10578145013, 10578145014, 10578145015, 10578145016

SAMPLE DUPLICATE: 4101076

Parameter	Units	10578145001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.0	4.0	0	30	N2

SAMPLE DUPLICATE: 4101077

Parameter	Units	10578145011 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	2.1	2.5	19	30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BPSOU Unreclaimed Sampling

Pace Project No.: 10578145

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10578145001	BPSOU-UR36SS01-090721-1	EPA 3050B	769642	EPA 6010D	769886
10578145002	BPSOU-UR36SS01-090721-2	EPA 3050B	769642	EPA 6010D	769886
10578145003	BPSOU-UR36SS02-090721-1	EPA 3050B	769642	EPA 6010D	769886
10578145004	BPSOU-UR36SS04-090721-1	EPA 3050B	769642	EPA 6010D	769886
10578145005	BPSOU-UR36SS04-090721-1-FD	EPA 3050B	769642	EPA 6010D	769886
10578145006	BPSOU-UR36SS04-090721-2	EPA 3050B	769642	EPA 6010D	769886
10578145007	BPSOU-UR36SS04-090721-3	EPA 3050B	769642	EPA 6010D	769886
10578145008	BPSOU-UR36SS05-090821-1	EPA 3050B	769642	EPA 6010D	769886
10578145009	BPSOU-UR36SS05-090821-2	EPA 3050B	769642	EPA 6010D	769886
10578145010	BPSOU-UR36SS05-090821-3	EPA 3050B	769642	EPA 6010D	769886
10578145011	BPSOU-UR36SS06-090821-1	EPA 3050B	769642	EPA 6010D	769886
10578145012	BPSOU-UR36SS06-090821-2	EPA 3050B	769642	EPA 6010D	769886
10578145013	BPSOU-UR36SS06-090821-3	EPA 3050B	769642	EPA 6010D	769886
10578145014	BPSOU-UR36OP01-090821-1	EPA 3050B	769642	EPA 6010D	769886
10578145015	BPSOU-UR36OP01-090821-2	EPA 3050B	769642	EPA 6010D	769886
10578145016	BPSOU-UR36OP01-090821-3	EPA 3050B	769642	EPA 6010D	769886
10578145001	BPSOU-UR36SS01-090721-1	EPA 7471B	769647	EPA 7471B	770307
10578145002	BPSOU-UR36SS01-090721-2	EPA 7471B	769647	EPA 7471B	770307
10578145003	BPSOU-UR36SS02-090721-1	EPA 7471B	769647	EPA 7471B	770307
10578145004	BPSOU-UR36SS04-090721-1	EPA 7471B	769647	EPA 7471B	770307
10578145005	BPSOU-UR36SS04-090721-1-FD	EPA 7471B	769647	EPA 7471B	770307
10578145006	BPSOU-UR36SS04-090721-2	EPA 7471B	769647	EPA 7471B	770307
10578145007	BPSOU-UR36SS04-090721-3	EPA 7471B	769647	EPA 7471B	770307
10578145008	BPSOU-UR36SS05-090821-1	EPA 7471B	769647	EPA 7471B	770307
10578145009	BPSOU-UR36SS05-090821-2	EPA 7471B	769647	EPA 7471B	770307
10578145010	BPSOU-UR36SS05-090821-3	EPA 7471B	769647	EPA 7471B	770307
10578145011	BPSOU-UR36SS06-090821-1	EPA 7471B	769647	EPA 7471B	770307
10578145012	BPSOU-UR36SS06-090821-2	EPA 7471B	769647	EPA 7471B	770307
10578145013	BPSOU-UR36SS06-090821-3	EPA 7471B	769647	EPA 7471B	770307
10578145014	BPSOU-UR36OP01-090821-1	EPA 7471B	769647	EPA 7471B	770307
10578145015	BPSOU-UR36OP01-090821-2	EPA 7471B	769647	EPA 7471B	770307
10578145016	BPSOU-UR36OP01-090821-3	EPA 7471B	769647	EPA 7471B	770307
10578145001	BPSOU-UR36SS01-090721-1	ASTM D2974	769637		
10578145002	BPSOU-UR36SS01-090721-2	ASTM D2974	769637		
10578145003	BPSOU-UR36SS02-090721-1	ASTM D2974	769637		
10578145004	BPSOU-UR36SS04-090721-1	ASTM D2974	769637		
10578145005	BPSOU-UR36SS04-090721-1-FD	ASTM D2974	769637		
10578145006	BPSOU-UR36SS04-090721-2	ASTM D2974	769637		
10578145007	BPSOU-UR36SS04-090721-3	ASTM D2974	769637		
10578145008	BPSOU-UR36SS05-090821-1	ASTM D2974	769637		
10578145009	BPSOU-UR36SS05-090821-2	ASTM D2974	769637		
10578145010	BPSOU-UR36SS05-090821-3	ASTM D2974	769637		
10578145011	BPSOU-UR36SS06-090821-1	ASTM D2974	769637		
10578145012	BPSOU-UR36SS06-090821-2	ASTM D2974	769637		
10578145013	BPSOU-UR36SS06-090821-3	ASTM D2974	769637		
10578145014	BPSOU-UR36OP01-090821-1	ASTM D2974	769637		
10578145015	BPSOU-UR36OP01-090821-2	ASTM D2974	769637		
10578145016	BPSOU-UR36OP01-090821-3	ASTM D2974	769637		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BPSOU Unreclaimed Sampling
Pace Project No.: 10578145

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
--------	-----------	-----------------	----------	-------------------	------------------

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Laboratory Management Program (LaMP) Chain of Custody Record
Soil, Sediment and Groundwater Samples

Page 1 of 2

BP Site Node Path: _____ Req Due Date (mm/dd/yy): 09/23/21 Rush TAT Yes 14 day No _____

BP/RM Facility No: _____ Lab Work Order Number: _____

Lab Name: Pace Analytical			BP/ARC Facility Address:			Consultant/Contractor: Pioneer Technical Services				
Lab Address: 1700 Elm Street SE, Minneapolis, MN 55414			City, State, ZIP Code:			Consultant/Contractor Project No: BPSOU Unreclaimed Sampling				
Lab PM: Jennifer Anderson			Lead Regulatory Agency:			Address: 1101 S. Montana St.				
Lab Phone: 612-607-6436			California Global ID No.:			Consultant/Contractor PM: Scott Sampson				
Lab Shipping Acct:			Enfos Proposal No:			Phone: 406-697-0946 Email: ssampson@pioneer-technical.com				
Lab Bottle Order No:			Accounting Mode: Provision _____ OOC-BU _____ OOC-RM _____			Send/Submit EDD to: Scott Sampson				
Other Info:			Stage: _____ Activity: _____			Invoice To: BP-RM _____ BP-Other _____				
BP/RM PM: Mike Mc Anulty			Requested Analyses			Report Type & QC Level				
PM Phone: 406-723-1822			Filtered (Y/N)			Limited (Standard) Package _____				
PM Email: mcanumc@bp.com			Preservation			Limited Plus Package _____				
			Depth Unit			Full Package Level 2 _____				
Lab No.	Unique Sample ID, must follow format of SAMPLENAMEYYYYMMDD Examples: MW01_20190101 ; BH01_3-5_20190101	Time	Grab (G) or Composite (C)	Total Number of Containers	Matrix	Analysis	Total Metals 60/10 As, Cd, Cu, Pb, Zn	7471 Mercury	WO# : 10578145	
										10578145
	BPSOU-UR36SS01-090721-1	15:10	in c	1	soil		X	X		
	BPSOU-UR36SS01-090721-2	15:05	in c	1	soil		X	X	U1	
	BPSOU-UR36SS02-090721-1	15:20	in c	1	soil		X	X	U2	
	BPSOU-UR36SS04-090721-1	16:10	in c	1	soil		X	X	U3	
	BPSOU-UR36SS04-090721-1-FD	16:15	in c	1	soil		X	X	U4	
	BPSOU-UR36SS04-090721-2	16:05	in c	1	soil		X	X	U5	
	BPSOU-UR36SS04-090721-3	16:00	in c	1	soil		X	X	U6	
	BPSOU-UR36SS05-090821-1	8:10	in c	1	soil		X	X	U7	
	BPSOU-UR36SS05-090821-2	8:05	in c	1	soil		X	X	U8	
									No lab QA	
Sampler's Name: Cole Dallaseira		Relinquished By / Affiliation			Date	Time	Accepted By / Affiliation		Date	Time
Sampler's Company: Pioneer Technical Services		<i>Cole Dallaseira / PITS</i>			<i>9/18/21</i>	<i>16:00</i>	<i>Mike Mc Anulty</i>		<i>9/19/21</i>	<i>09:55</i>
Ship Method: FedEx Overnight		9/8/2021								
Shipment Tracking No: 4278 9935 1725										
Special Instructions: *Maximum 14 day TAT										
THIS LINE - LAB USE ONLY: Custody Seals In Place <input checked="" type="checkbox"/> Yes / No Temp Blank <input checked="" type="checkbox"/> Yes / No Cooler Temp on Receipt <u>3.9</u> °F/C Trip Blank: Yes <input checked="" type="checkbox"/> No MS/MSD Sample Submitted: Yes <input checked="" type="checkbox"/> No										



Laboratory Management Program (LaMP) Chain of Custody Record
Soil, Sediment and Groundwater Samples

Page 2 of 2

BP Site Node Path: _____ Req Due Date (mm/dd/yy): 09/23/21 Rush TAT Yes 14 day No _____
 BP/RM Facility No: _____ Lab Work Order Number: _____

Lab Name: Pace Analytical	BP/ARC Facility Address:	Consultant/Contractor: Pioneer Technical Services
Lab Address: 1700 Elm Street SE, Minneapolis, MN 55414	City, State, ZIP Code:	Consultant/Contractor Project No: BPSOU Unreclaimed Sampling
Lab PM: Jennifer Anderson	Lead Regulatory Agency:	Address: 1101 S. Montana St.
Lab Phone: 612-607-6436	California Global ID No.:	Consultant/Contractor PM: Scott Sampson
Lab Shipping Acct:	Enfos Proposal No:	Phone: 406-697-0946 Email: ssampson@pioneer-technical.com
Lab Bottle Order No:	Accounting Mode: Provision _____ OOC-BU _____ OOC-RM _____	Send/Submit EDD to: Scott Sampson
Other Info:	Stage _____ Activity _____	Invoice To: BP-RM _____ BP-Other _____

Lab No.	Unique Sample ID, must follow format of SAMPLENAMEYYYYMMDD Examples: MW01_20190101; BH01_3-5_20190101	Time	Depth Unit	Grab (G) or Composite (C)	Total Number of Containers	Matrix	Analysis	Requested Analyses												Report Type & QC Level			Comments		
								Filtered (Y/N)												Limited (Standard) Package _____					
								Preservation												Limited Plus Package _____					
	BPSOU-UR36SS05-090821-3	8:00	in	c	1	soil	X	X																	
	BPSOU-UR36SS06-090821-1	8:10	in	c	1	soil	x	x																	
	BPSOU-UR36SS06-090821-2	8:05	in	c	1	soil	x	x																	
	BPSOU-UR36SS06-090821-3	8:00	in	c	1	soil	x	x																	
	BPSOU-UR36OP01-090821-1	8:20	in	c	1	soil	x	x																	
	BPSOU-UR36OP01-090821-2	8:15	in	c	1	soil	x	x																	
	BPSOU-UR36OP01-090821-3	8:10	in	c	1	soil	x	x																	

9/11
 9/12
 9/13
 9/14
 9/15
 9/16


MW2
9.9 21

Sampler's Name: Cole Dallasera	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: Pioneer Technical Services	<i>Cole Dallasera / PTS</i>	<i>9/18/21</i>	<i>1600</i>	<i>Scott Sampson</i>	<i>9/19/21</i>	<i>9:50</i>
Ship Method: FedEx Overnight	9/8/2021					
Shipment Tracking No: 4278 9935 1725						

Special Instructions: *Maximum 14 day TAT

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: 3.7 °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No

Proprietary and Confidential
 Property of BP and its Affiliates



Document Name:
Sample Condition Upon Receipt (SCUR) - ESI

Document Revised: 12Aug2020
Page 1 of 1

Document No.:
ENV-FRM-MIN4-0149 Rev.01

Pace Analytical Services -
Minneapolis

Sample Condition
Upon Receipt - ESI
Tech Specs

Client Name:

bp - rm - Pioneer

Project #:

WO# : 10578145

PM: JMA

Due Date: 09/22/21

CLIENT: BP-PIONEER

Courier:

Fed Ex UPS USPS Client
 Pace Speedee Commercial

Tracking Number:

4278 9935 1725

See Exceptions
ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459)
 T4(0254) T5(0489) Type of Ice: Wet Blue None Dry Melted

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 3.7 °C Average Corrected Temp (no temp blank only): _____ °C See Exceptions ENV-FRM-MIN4-0142 1 Container

Correction Factor: TMC Cooler Temp Corrected w/temp blank: 3.7 °C

USDA Regulated Soil: (N/A, water sample/Other: _____) Date/Initials of Person Examining Contents: MKZ 9-9-21
Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/>
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Sample Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Triple Volume Provided for MS/MSD (if more than 10 samples)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception ENV-FRM-MIN4-0142
Matrix: <input type="checkbox"/> Water <input checked="" type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> Zinc Acetate Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Chlorine? <input type="checkbox"/> No pH Paper Lot# <input type="checkbox"/> See Exception ENV-FRM-MIN4-0142 Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS *If adding preservative to a container it must be added to associated field and equipment blanks (verify with PM first) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> See Exception ENV-FRM-MIN4-0140
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Pace Trip Blank Lot # (if purchased):
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Temp Log: Temp must be maintained at <6°C during login, record temp every 20 mins

Opened Time: 1540 Temp: 3.7 Corrected Temp: 3.7
Time: _____ put in cooler 1620
Time: _____ Temp: _____ Corrected Temp: _____

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager Review:

Date: 09/09/2021

Note: Whenever there is a discrepancy regarding North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Labeled by: MKZ

XRF Sample ID	Sample Type	Field Sample ID	Analysis Date	Units	Arsenic Result	Arsenic Error	Cadmium Result	Cadmium Error	Copper Result	Copper Error	Lead Result	Lead Error	Mercury Result	Mercury Error	Zinc Result	Zinc Error
P_20210908_98052_462	SiO2	SiO2	9/8/2021	mg/kg	<LOD	2.59	7.43	4.32	<LOD	11.35	<LOD	3.53	<LOD	4.85	<LOD	5.58
P_20210908_98052_463	NIST 2709a	NIST 2709a	9/8/2021	mg/kg	12.19	3.79	9.05	5.14	36.14	11.67	14.82	4.31	<LOD	6.39	96.06	9.17
P_20210908_98052_464	RCRA	RCRA	9/8/2021	mg/kg	507.28	18.94	514.04	11.52	18.73	10.82	489.53	18.63	<LOD	7.18	46.21	7.30
P_20210908_98052_465	USGS SdAR-M2	USGS SdAR-M2	9/8/2021	mg/kg	79.86	17.34	16.99	5.31	223.45	17.54	790.33	20.91	<LOD	7.18	706.21	22.13
P_20210908_98052_466	Natural	BPSOU-UR36SS01-090721-1	9/8/2021	mg/kg	517.92	21.86	<LOD	7.96	1,438.59	39.76	754.74	21.63	<LOD	9.41	1,542.20	34.50
P_20210908_98052_467	Natural	BPSOU-UR36SS01-090721-2	9/8/2021	mg/kg	479.85	22.32	8.17	5.27	1,064.57	34.81	833.41	22.79	<LOD	8.71	898.93	26.72
P_20210908_98052_468	Natural	BPSOU-UR36SS01-090721-3	9/8/2021	mg/kg	761.30	22.33	<LOD	7.71	650.10	27.76	596.93	19.23	<LOD	8.18	560.56	21.15
P_20210908_98052_469	Natural	BPSOU-UR36SS02-090721-1	9/8/2021	mg/kg	193.07	14.24	8.88	5.06	1,092.45	33.67	375.35	14.91	<LOD	7.89	709.82	23.01
P_20210908_98052_470	Natural	BPSOU-UR36SS02-090721-2	9/8/2021	mg/kg	155.18	13.51	<LOD	7.09	481.24	22.58	401.59	14.72	<LOD	7.19	599.39	20.14
P_20210908_98052_471	Natural	BPSOU-UR36SS02-090721-3	9/8/2021	mg/kg	76.10	11.54	9.13	4.74	517.26	22.27	354.75	13.35	<LOD	6.57	519.22	18.13
P_20210908_98052_472	Natural	BPSOU-UR36SS03-090721-1	9/8/2021	mg/kg	783.61	24.83	<LOD	8.59	1,144.70	41.39	481.14	20.01	<LOD	10.03	381.94	20.96
P_20210908_98052_473	Natural	BPSOU-UR36SS03-090721-2	9/8/2021	mg/kg	824.14	26.01	<LOD	8.66	901.23	38.22	495.36	20.81	<LOD	10.72	386.33	21.56
P_20210908_98052_474	Natural	BPSOU-UR36SS03-090721-3	9/8/2021	mg/kg	842.38	25.50	<LOD	8.77	981.33	39.09	461.53	19.85	<LOD	9.67	376.79	20.91
P_20210908_98052_475	Natural	BPSOU-UR36SS04-090721-1	9/8/2021	mg/kg	113.47	15.90	<LOD	7.79	1,139.16	35.29	558.21	18.43	<LOD	8.83	2,389.68	41.91
P_20210908_98052_476	Field Duplicate	BPSOU-UR36SS04-090721-1-FD	9/8/2021	mg/kg	127.60	15.38	<LOD	7.75	1,098.22	35.12	487.25	17.45	<LOD	9.17	2,761.23	45.45
P_20210908_98052_477	Natural	BPSOU-UR36SS04-090721-2	9/8/2021	mg/kg	121.38	14.18	11.40	5.14	961.81	32.26	426.31	15.97	<LOD	9.00	2,666.43	43.61
P_20210908_98052_478	Natural	BPSOU-UR36SS04-090721-3	9/8/2021	mg/kg	103.20	14.75	8.66	5.12	1,329.67	37.51	481.01	17.04	<LOD	8.24	1,804.24	36.35
P_20210908_98052_479	Natural	BPSOU-UR36SS05-090821-1	9/8/2021	mg/kg	261.77	21.33	13.90	5.40	1,044.04	34.28	938.06	23.99	<LOD	8.79	1,614.46	35.03
P_20210908_98052_480	Natural	BPSOU-UR36SS05-090821-2	9/8/2021	mg/kg	155.72	17.69	9.58	5.10	1,186.56	34.96	724.99	20.40	<LOD	8.72	1,896.49	36.56
P_20210908_98052_481	Natural	BPSOU-UR36SS05-090821-3	9/8/2021	mg/kg	149.53	17.15	13.16	5.25	1,147.78	35.12	648.18	19.65	<LOD	9.27	3,399.43	49.40
P_20210908_98052_482	Natural	BPSOU-UR36SS06-090821-1	9/8/2021	mg/kg	175.30	32.14	13.62	7.35	3,190.03	79.87	1,278.40	38.12	<LOD	20.59	8,077.37	105.74
P_20210908_98052_483	Natural	BPSOU-UR36SS06-090821-2	9/8/2021	mg/kg	115.46	22.24	<LOD	8.69	1,573.74	47.86	868.37	26.45	<LOD	12.87	3,812.93	61.14
P_20210908_98052_484	Natural	BPSOU-UR36SS06-090821-3	9/8/2021	mg/kg	108.95	22.57	<LOD	8.01	1,008.49	36.51	1,050.87	27.15	<LOD	11.05	3,098.76	51.58
P_20210908_98052_485	Natural	BPSOU-UR36OP01-090821-1	9/8/2021	mg/kg	160.81	14.32	<LOD	7.71	1,013.44	33.84	372.53	15.38	<LOD	8.80	1,892.72	37.86
P_20210908_98052_486	XRF Replicate	BPSOU-UR36OP01-090821-1-R	9/8/2021	mg/kg	170.89	14.11	11.44	5.27	1,018.38	33.12	373.37	15.02	<LOD	8.66	1,817.62	36.26
P_20210908_98052_487	XRF Duplicate	BPSOU-UR36OP01-090821-1-D	9/8/2021	mg/kg	181.47	16.10	9.79	5.42	1,175.24	36.66	483.17	17.56	<LOD	9.79	3,870.31	54.18
P_20210908_98052_488	SiO2	SiO2	9/8/2021	mg/kg	<LOD	2.66	13.29	4.54	<LOD	11.42	<LOD	3.43	<LOD	4.75	<LOD	5.39
P_20210908_98052_489	NIST 2709a	NIST 2709a	9/8/2021	mg/kg	9.91	3.69	11.00	5.22	44.38	11.81	15.83	4.29	<LOD	6.43	89.49	8.89
P_20210908_98052_490	RCRA	RCRA	9/8/2021	mg/kg	489.32	18.68	504.43	11.48	19.90	10.93	474.33	18.46	<LOD	7.00	47.72	7.28
P_20210908_98052_491	USGS SdAR-M2	USGS SdAR-M2	9/8/2021	mg/kg	65.27	17.24	16.64	5.29	223.25	17.43	810.00	20.96	<LOD	7.09	728.83	22.25
P_20210908_98052_492	Natural	BPSOU-UR36OP01-090821-2	9/8/2021	mg/kg	149.22	14.67	10.61	5.33	1,145.04	36.22	395.10	16.04	<LOD	9.02	2,303.35	42.19
P_20210908_98052_493	Natural	BPSOU-UR36OP01-090821-3	9/8/2021	mg/kg	149.84	15.90	<LOD	7.67	1,118.86	35.36	507.25	17.82	<LOD	8.49	1,383.73	32.59
P_20210908_98052_494	Natural	BPSOU-UR35SS02-090821-1	9/8/2021	mg/kg	61.91	23.85	<LOD	7.72	996.15	33.85	1,409.22	29.43	<LOD	9.88	3,690.90	52.60
P_20210908_98052_495	Natural	BPSOU-UR35SS02-090821-2	9/8/2021	mg/kg	152.84	35.68	14.96	5.42	1,180.62	38.07	2,928.28	43.83	<LOD	11.05	5,025.02	63.58
P_20210908_98052_496	Field Duplicate	BPSOU-UR35SS02-090821-2-FD	9/8/2021	mg/kg	246.79	45.01	21.64	5.82	1,135.88	40.22	4,056.24	55.06	<LOD	12.69	6,180.56	75.23
P_20210908_98052_497	Natural	BPSOU-UR35SS02-090821-3	9/8/2021	mg/kg	207.68	39.20	16.82	5.65	1,306.65	42.04	3,156.28	47.85	<LOD	12.27	6,538.22	76.17
P_20210908_98052_498	Natural	BPSOU-UR35OP01-090821-1	9/8/2021	mg/kg	127.43	32.41	11.29	5.09	250.03	19.37	2,722.09	39.90	<LOD	9.52	3,706.89	51.49
P_20210908_98052_499	Natural	BPSOU-UR35OP01-090821-2	9/8/2021	mg/kg	113.89	44.42	23.11	5.63	571.82	28.71	4,506.57	55.19	<LOD	11.76	6,274.07	72.01
P_20210908_98052_500	Natural	BPSOU-UR35OP01-090821-3	9/8/2021	mg/kg	193.47	51.62	29.77	5.88	578.65	31.11	5,412.23	63.84	<LOD	16.00	13,258.80	110.32
P_20210908_98052_502	XRF Replicate	BPSOU-UR35OP01-090821-3-R	9/8/2021	mg/kg	182.08	52.81	37.89	6.07	581.18	31.64	5,495.13	65.38	<LOD	15.90	13,290.99	112.23
P_20210908_98052_503	XRF Duplicate	BPSOU-UR35OP01-090821-3-D	9/8/2021	mg/kg	185.34	52.56	33.10	5.87	652.53	32.84	5,516.16	65.07	<LOD	15.90	13,144.54	110.89
P_20210908_98052_504	SiO2	SiO2	9/8/2021	mg/kg	<LOD	2.48	13.57	4.44	<LOD	11.33	<LOD	3.17	<LOD	4.77	<LOD	5.40
P_20210908_98052_505	Natural	BPSOU-UR35SS03-090821-1	9/8/2021	mg/kg	<LOD	39.20	18.13	5.26	195.23	17.56	1,893.62	32.84	<LOD	8.65	2,604.40	42.61
P_20210908_98052_506	Natural	BPSOU-UR35SS03-090821-2	9/8/2021	mg/kg	126.35	54.20	37.47	6.50	954.51	40.24	5,464.07	67.40	<LOD	18.97	20,954.91	145.63
P_20210908_98052_507	Natural	BPSOU-UR35SS03-090821-3	9/8/2021	mg/kg	102.38	44.75	24.80	5.89	1,361.11	44.99	3,989.22	55.60	<LOD	18.07	19,346.14	135.04

XRF Sample ID	Sample Type	Field Sample ID	Analysis Date	Units	Arsenic Result	Arsenic Error	Cadmium Result	Cadmium Error	Copper Result	Copper Error	Lead Result	Lead Error	Mercury Result	Mercury Error	Zinc Result	Zinc Error
P_20210908_98052_508	SiO2	SiO2	9/8/2021	mg/kg	<LOD	2.70	<LOD	6.45	<LOD	11.88	<LOD	3.44	<LOD	4.90	<LOD	5.42
P_20210908_98052_509	USGS SdAR-M2	USGS SdAR-M2	9/8/2021	mg/kg	74.54	17.33	18.44	5.41	237.81	17.88	801.22	20.97	<LOD	7.15	719.00	22.24
P_20210908_98052_510	RCRA	RCRA	9/8/2021	mg/kg	500.16	19.05	502.64	11.58	<LOD	16.00	483.23	18.80	<LOD	7.16	41.01	7.06
P_20210908_98052_511	NIST 2709a	NIST 2709a	9/8/2021	mg/kg	12.93	3.72	14.48	5.32	31.73	11.21	14.87	4.15	<LOD	6.31	86.80	8.73

Notes:

¹ XRF Sample ID is P_"Analysis Date"_"XRF Instrument Number"_"XRF Reading Number"

Abbreviations:

mg/kg - milligram per kilogram

SiO2 - Silicon Dioxide standard

NIST 2709a - NIST 2709a- Joaquin Soil sample

RCRA - Resource Conservation and Recovery Act Sample

<LOD - not detected (less than detection limit)

Attachment D

Electronic Data Deliverable File

Included separately

Appendix B

Site Photographs



Atlantic Richfield Company

PhotoNumber: UR36-1	Photographer: JLS
Date: 09/07/2021 13:02	Photo Direction: South East
Description: UR36SS06. Eroding material from top of the hill is conveying through the site towards the road. Looks to be consisted of dump material.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-2	Photographer: JLS
Date: 09/07/2021	Photo Direction: South
Description: UR36SS05. Rills are developing from top of the hill down to the road. Stormwater control at the base has fine sediments. Sample sub locations were placed in a linear line to characterize the different dumps.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-3	Photographer: JLS
Date: 09/07/2021	Photo Direction: South East
Description: UR36SS04. Sites containing dump materials and light colored material.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-4	Photographer: JLS
Date: 09/07/2021	Photo Direction: East
Description: Large gully developing due east of sample location. Gully ranges from 1 foot to 5 feet.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-5	Photographer: JLS
Date: 09/07/2021	Photo Direction: South East
Description: UR36SS03. Eroding face contains manganese and light colored material.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-6	Photographer: JLS
Date: 09/07/2021	Photo Direction: South East
Description: Eroding slope contains gully due east, appears to be dump material containing light material and chunks of asphalt.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	



Atlantic Richfield Company

PhotoNumber: UR36-7	Photographer: JLS
Date: 09/07/2021	Photo Direction: South East
Description: UR36SS01. Material is light in color containing iron staining and what appears to be slag material.	
Project: BPSOU Unreclaimed and Insufficiently Reclaimed Sites 2021	